

HIGH COURT OF MADHYA PRADESH: JABALPUR

NOTICE INVITING TENDER

Sealed tenders are invited by the High Court of Madhya Pradesh for the "Supply, Installation of Local Area Networking work and other related work in the High Court and District Courts in the State of Madhya Pradesh ". The last date of online tender submission is **25th July, 2024 before 06:00 P.M.** (mandatory). The sealed tender complete in all respect addressed to "**Registrar General, High Court of Madhya Pradesh, Jabalpur**" must be submitted before **05:00 P.M. on 26th July, 2024 (mandatory)**. The technical bids of the tender shall be opened online on **27th July, 2024 at 11:00 A.M.** The detailed tender document is available in the official website of the High Court of Madhya Pradesh **www.mphc.gov.in** and Government e-procurement portal **www.mptenders.gov.in**.

Sd/-

REGISTRAR GENERAL

HIGH COURT OF MADHYA PRADESH : JABALPUR

// TENDER //

Ref. No. Reg(IT)(SA)/2024/831

Dated:30.05.2024



Bid Document for

**Supply, Installation of Local Area Networking and other
related work in the High Court and District Courts in the
State of Madhya Pradesh**

Note: This document contains total **64 pages** including cover. No change and modification in the document by the bidder is permissible.

HIGH COURT OF MADHYA PRADESH : JABALPUR

Ref. No. Reg(IT)(SA)/2024/831

Dated:30.05.2024

Subject: - Installation of Local Area Networking and other related work in the High Court and District Courts in the State of Madhya Pradesh.

The Registrar General, on behalf of High Court of Madhya Pradesh invites online tenders for Installation of Local Area Networking work and other related work in the High Court and District Courts in the State of Madhya Pradesh from Manufacturing Companies, reputed Bidders/Dealers, registered, bonafide, reputed, experienced and eligible firms who have executed similar nature of work in Court Premises/Government Ministries/Departments, Semi-government organizations including Public Sector Undertakings and reputed Private Organization with **05 Years Onsite Warranty and support** on all active and passive components and satisfying all other terms and conditions of the tender document.

S. No.	Estimated Project Cost (In Rs.)	Online EMD (In Rs.)	Online Cost of Tender Document (In Rs.)	Date and Time of Pre-Bid Meeting	Last Date / Time of online tender Submission	Last Date/ Time of tender submission in hardcopy (technical bid)	Date and Time of Opening of Technical Bid (online/ hardcopy)	Time for Completion of the work / project (after release or work order)	Approx. No. of LAN Points
01	09 Crore	20 Lakh	10,000/-	13 th June, 2024 at 11:30 A.M In the Meeting Room of High Court of M.P., Jabalpur	25 th July, 2024 before 06:00 PM	26 th July, 2024 before 05:00 PM	27 th July, 2024 at 11:00 AM	60 days	7300

- Tender documents may be viewed or purchased online by interested and eligible bidders from the website www.mptenders.gov.in after paying Tender fee of Rs.10,000/- and Processing Fee, as applicable. The tender document is also available in website <http://www.mphc.gov.in> for reference.*

- *Bidders can submit its tender online at www.mptenders.gov.in on or before the key dates given above i.e. **25th July, 2024 before 06:00 P.M.** The Physical copy of the Technical Bids must to be submitted at the address below latest by **26th July, 2024, at 05:00 P.M.***
- *All further notifications/amendments, if any shall be posted on www.mptenders.gov.in and www.mphc.gov.in only. No separate communication shall be made with individual Bidders.*
- **The financial bids are to be submitted only online and no hard copy to be submitted along with the bid.**

All other terms and conditions for submission of tender are contained in this document. If the date of submitting/opening of the Bid is declared as holiday then the bids shall be submitted / opened on next working day.

The Registrar General, High Court of Madhya Pradesh, Jabalpur (M.P.) reserves the right to accept or reject any or all bids without assigning any reason thereof.

Address for communication:-

Registrar General,

High Court of Madhya Pradesh, Jabalpur

Email: - regithcjbpm@mp.gov.in; mphc@nic.in

Landline: 0761-2623358

1. Instructions to the Tenderers/bidders:

1.1 DEFINITIONS:-

- a) **“The Employer”** or **“The Purchaser”** means the "Registrar General, High Court of Madhya Pradesh, Jabalpur" and the "District Judge" of the District Courts.
- b) **“The Bidder”** means a firm which participates in the tender and submits its proposal.
- c) **“Successful Bidder”** means the Bidder, who, after the complete evaluation process, gets the Letter of Award. The Successful Bidder shall be deemed as **“Contractor”** appearing anywhere in the document.
- d) **“The Letter of Award”** means the issue of a signed letter by the Purchaser of its intention to award the work mentioning the total Contract Value. The timeline for delivery of products and services will start from the date of issue of Letter of Award.
- e) **“The Contract”** means the agreement entered into between the Employer and the Contractor, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- f) **“The Contractor”** means the individual or firm or OEM supplying the Goods / items and Services under this Contract.
- g) **“The Contract Price”** means the price payable to the Successful Bidder under the Letter of Award for the full and proper performance of its contractual obligations. The Contract Price shall be deemed as **“Contract Value”** appearing anywhere in the document.
- h) **“Site Acceptance Test (SAT)”** is a process of testing the

contracted services provided by the Bidder at the locations specified by the Registrar General, High Court of Madhya Pradesh. SAT comprises of Product Acceptance Tests with respect to Technical Specifications and Bill of Materials as specified in this tender, checking the installation, commissioning and integration of sub-components and integration with High Court software and acceptance of the Training at the site.

- i) **“Services”** means System Integration, Training and coordinating with the original equipment manufacturer (OEM) for installation, commissioning, system integration and maintenance for proper working of supplied equipments/items etc.
- j) **“NIT”** is the Notice Inviting Tender. It is essentially the Press Notification of the Tender.
- k) **“OEM”** - means Original Equipment Manufacturer and/or Original Software Developer.
- l) This tender is subject to availability of funds / Budget from the State Government.

1.2 The technical bid of the tender shall be invited in sealed envelope consisting of copy of online EMD. The bid will be made and put in the sealed single envelope containing the title “Tender for Rate contract and Installation of Local Area Networking work in the High Court of Madhya Pradesh and District Courts (District Courts and Tehsil Courts) in the State of Madhya Pradesh” and addressed to “The Registrar General, High Court of Madhya Pradesh, Jabalpur” and the technical bid must be submitted to the “Receipt / Inward Section of the High Court of M.P. before **05:00 P.M. on 26th July, 2024.**”

1.3. **The financial bids are to be submitted online and no hard copy to be submitted along with the bid.**

1.4 The date for the schedule of key events of this tender is given as under:-

S. No.	Events	Date
01.	Date of Pre-Bid meeting	13 th June, 2024 at 11:30 A.M in the Meeting Room of High Court of M.P., Jabalpur
02.	Last date and time of online tender submission	25 th July, 2024 before 06:00 P.M.
03.	Last date and time of hard copy tender submission.	26 th July, 2024 before 05:00 P.M.
04.	Date and time of opening of technical bids.	27 th July, 2024 at 11:00 A.M.
05.	Date and time of opening of the price bids.	Date and time shall be communicated to all the qualified bidders.

1.5 All physical proposals have to be submitted **HARD BOUND (Hard bound implies such binding between two covers through stitching or otherwise whereby it may not be possible to replace any paper without disturbing the document)** form with all pages sequentially numbered either at the top or at the bottom right corner of each page. It should also have an index giving page wise information of above documents. Incomplete proposal or those received without hard bound will summarily be rejected. **All the Pages and Papers to be signed and sealed by the authorized signatory of the bidder.**

2. **Scope of Work:-**

- i. The place of installation of Local Area Network and other related work will be the High Court of Madhya Pradesh and District Courts in the State of Madhya Pradesh. **The rates for the LAN work shall be valid for the period of one year from**

the date of contract. The contract may be extended further for the period of one by the High Court looking to the satisfactory services of the vendor.

- ii. It will be duty of the bidder to have the credentials of the Service Engineers/Technical Persons deputed for installation of Local Area Network work to be duly verified and certified.
- iii. The bidder shall provide Network Certified Engineer to ensure proper maintenance and management of Local Area Networking work.
- iv. The bidder shall install network by laying the cables CAT- 6 level as per specifications and terms of the tender.
- v. The bidder shall install network switches with uninterrupted power supply equipments and other peripherals necessary to make the network functional.
- vi. All the Network nodes shall be connected to Network Switches by appropriate casing covered cables.
- vii. All the hardware and the material used for installation of Local Area Networking shall be of good quality and of reputed make and brand as mentioned in the tender document.
- viii. It shall be the responsibility of the bidder to ensure connectivity of every Node with the Server installed in the Computer Room of the High Court / District Courts.
- ix. Each Network switch shall have sufficient provision of additional Nodes for future requirement.
- x. The bidder shall ensure that no damage is caused to the Building / Court premises and proper repairs and finishing is to be done after installation of the Network.

Section – III

3. Terms and Conditions for e-Tendering:-

- 3.1 For participation in e-tendering module, it is mandatory for prospective bidders to get registration on website www.mptenders.gov.in. Therefore, it is advised to all prospective bidders to get registration by making on line registration fees payment at the earliest.
- 3.2 Tender documents can be purchased **only online** on payment of tender fees and downloaded from website www.mptenders.gov.in by making online payment for the tender document fee.
- 3.3 Service and gateway charges shall be borne by the bidders.
- 3.4 Since the bidders are required to sign their bids online using class–III Digital Signature Certificate, they are advised to obtain the same at the earliest.
- 3.5 For further information regarding issue of Digital Signature Certificate, the bidders are requested to visit website www.mptenders.gov.in . Please note that it may take upto 7 to 10 working days for issue of Digital Signature Certificate. Department will not be responsible for delay in issue of Digital Signature Certificate.
- 3.6 If bidder is going first time for e-tendering, then it is obligatory on the part of bidder to fulfill all formalities such as registration, obtaining Digital Signature Certificate etc. well in advance.
- 3.7 Bidders are requested to visit our e-tendering website regularly for any clarification and / or due date extension.

- 3.8 Bidder must positively complete online e-tendering procedure at **www.mptenders.gov.in**
- 3.9 Department shall not be responsible in any way for delay/difficulties /inaccessibility of the downloading facility from the website for any reason whatever.
- 3.10 For any type of clarification bidders can / visit www.mptenders.gov.in. For any technical related queries please call at 24 x 7 Help Desk Number 0120-4001 002; 0120-4200 462; 0120-4001 005; 0120-6277 787; Technical - support- eproc@nic.in. Support timings: Monday to Saturday from 10:00 AM to 7:00 PM.
- 3.11 Interested bidders may attend the free training programme in Bhopal at their own cost. For further query please contact help desk.
- 3.12 The bidder who so ever is submitting the tender by his Digital Signature Certificate shall invariably upload the scanned copy of the authority letter as well as submit the copy of same in physical form with the offer of particular tender.
- 3.13 *The firms registered under NSIC and MSME (The vendor to be registered with both NSIC and MSME for claiming exemption of tender fees) are exempted for submission of tender fees only. But they have to submit valid EMD as per the tender requirement.***

4. Other terms and conditions:-

- i. The Bidder shall complete the installation of Local Area Network or other related work within **two months**, after the receipt of Work Order failing which the penalty of **Rs. 500/-** per day per work order shall be imposed.
- ii. The installation work shall be undertaken only by the Operator(s) duly authorized by the Registrar General to maintain the security of the High Court. The Bidder shall provide the list of technical persons in advance with their credentials to the Registrar General.
- iii. Tender document shall be available with the official website of the High Court i.e. **www.mphc.gov.in** and **Government e-procurement portal www.mptenders.gov.in**.
- iv. The technical bid of the tender shall be opened in the High Court of Madhya Pradesh, Jabalpur on **due and time**. One authorized representative of the bidder may remain present at the time of opening of the bids. Tender will be finalized after considering the proposals. All tenderers or any of the tenderer may be called for further negotiations before considering his/their proposal.
- v. The Registrar General shall have the absolute right to select/reject any tender for installation of Network on the basis of rate, quality and services proposed in the tender.
- vi. The bidder is required to submit **brochure(s) of the Hardware items that is proposed to be supplied and installed for Local Area Network and other related work.**
- vii. The Registrar General has the right of accepting or rejecting any or all tenders without specifying any reason(s) thereof. The Registrar General is under no obligation to accept the lowest tender.
- viii. There is no obligation on the part of the Registrar General to inform the unsuccessful Tenderer of the outcome of the Tender process and reasons for rejection of the tender.
- ix. The successful bidder shall forthwith engage/depute qualified Service Engineers/Operators to install the Local Area Network in the High Court of Madhya Pradesh and District Courts in the State of Madhya Pradesh.

- x. In case of pecuniary loss suffered by any of the users/beneficiaries of the High Court of Madhya Pradesh or District Courts attributed to the Contractor, the Registrar General will have the right to forfeit the Security Deposit and in case the Security Deposit falls short to match the pecuniary loss being insufficient, such balance will be recovered from the payments due to the Contractor.
- xi. Rates offered in the tender will not be enhanced after acceptance of the Tender. No upward revision will be allowed under any circumstances whatsoever.
- xii. Under no circumstances, shall the bidder appoint any sub-contractor or sub-lease the contract. If it is found that the contractor has violated these conditions, the contract will be terminated forthwith without any notice, by the authority who has approved the award of the contract.
- xiii. The successful tenderer will be required to furnish security deposit of **03%** of the work order value within 15 days from the date of issue of Work Order. The security deposit shall be in the form of FDR through any nationalized bank in favour of Registrar General or unconditional Bank Guarantee of any Nationalized Bank of equal amount. The security deposit money will be refundable only after successful installation of Local Area Network. The security deposit will be forfeited if during the period of installation services of the bidder are found to be unsatisfactory in any respect.
- xiv. The work order can be terminated by the Registrar General at any point of time without assigning any reason if the work of the contractor is found unsatisfactory. In this respect, the decision of the Registrar General will be final and binding on the contractor. The Registrar General reserves the right to accept or reject any bid in whole or in part without assigning any reasons thereof.
- xv. The bills in triplicate for the work completed on the basis of approved rates shall have to be submitted in favour of the Registrar General / District and Sessions Judge, Jabalpur for effecting payment. No advance payment shall be made for the Job /Work done.

- xvi. The bidder shall submit the report of successful installation of Local Area Network or other Network related work, which shall be verified by the Officers nominated by the Registrar General after checking connectivity of every Node with the Server / Network Switch. With regard to successful installation of local area network, the decision of Registrar General shall be final and binding.
- xvii. The job carried out shall be to the satisfaction of the Registrar General after getting certification from the In-Charge, Computer Section of the District Courts failing which deductions upto 10% of the total bill shall be made. Depending upon the severity of negligence, the Registrar General reserves the right to blacklist the agency for a suitable period or from further participation in any of the jobs to be done for the High Court of Madhya Pradesh, Jabalpur. The decision of the Registrar General shall be final and binding on the Firm.
- xviii. Premature withdrawal of the tender by the tenderer shall make him liable for forfeiture of the earnest money deposit.
- xix. **All the pages of the tender document should be serially numbered and duly stamped and signed by the bidder.**
- xx. The Registrar General reserves the right to review the performance whenever so desires, and also to terminate the Work Order at any point of time during the installation in case the performance and the service rendered by the Bidder is found to be unsatisfactory. The decision of the Registrar General shall be binding on the Bidder. The Word Order can also be terminated at any point of time if the above mentioned work is no more required.
- xxi. The Registrar General reserves the right to vary, amend or alter any terms and conditions of the Tender Document at the time of placement of work order and before executing the contract.

5. Eligibility Criteria:-

- i. The Agency /Firm applying should possess valid Income Tax PAN No., GST registration no. The Agency should have a minimum experience of 05 years in Local Area Networking installation work at Government Organization, Public Sector

Companies and other reputed Private Organizations.

- ii. Copies of the following documents should be submitted along with the Bid.
 - a. GST registration.
 - b. Latest GST return of the Company.
 - c. Income Tax PAN Card.
 - d. Income Tax Return for the last three years i.e. **2021-2022, 2022-2023 and 2023-2024.**
 - e. Valid ISO /ISI Certificate of the products to be installed.
 - f. Documents showing the experience of Five years in providing similar work i.e. Local Area Networking work.
 - g. The online **Earnest Money Deposit (EMD) of Rs. 20.00.000/-**(Rupees Twenty Lakh only) through online mode through the website www.mptenders.gov.in in favor of Registrar General, High Court of Madhya Pradesh, Jabalpur. The Government organizations are exempted for submission of EMD.
 - h.*** Non-refundable **online tender fees of Rs.10,000/-** (Rupees Ten Thousand only) drawn in favor of Registrar General, High Court of Madhya Pradesh. ***The Government organizations are exempted for submission of tender fees.***
 - i. List of existing LAN installations being maintained as per details following:
Name of the Company/Type of LAN being maintained/No. of nodes/Last year's turn over.
 - j. Escalation matrix for lodging the complaint during the execution of warranty period.
 - k. High Court/District Courts should be able to log the call

with the OEM directly online/offline for the active component. Support should be provided by the OEM directly onsite for the replacement of active component for the period of 5 years.

- l. Brochures of the product with detailed specifications and MAF.
- m. The valid ISO 9001 certificate of the bidder in the field of LAN and other Network work. The Government Organization is exempted for submission of ISO certificate of the organization as per the tender document.
- n. The Annual average turnover during last three financial years to be at least **Rs. 04 Crore.**

6. Evaluation of Bids:

6.1 The Techno-Commercial Bid and price Bid will be evaluated as a package simultaneously. It must satisfy all the terms and conditions mentioned in this document and must be accompanied by all the requisite documents.

6.2 Filling up of all the columns in Techno-Commercial Bid and Price Bid is compulsory.

7. Earnest Money Deposit:-

The proposal should be submitted along with **online application fee of Rs.10,000/- (Rupees Ten Thousand only)** and **Earnest Money Deposit (EMD) of Rs.20,00,000/- (Rupees Twenty Lakh only)** in the form of **online mode** through e-procurement tender portal www.mptenders.gov.in valid for the period of 6 month in favour of "**Registrar General, High Court of Madhya Pradesh, Jabalpur**". The Bid submitted without EMD and/or the application fee shall be

summarily rejected. The earnest money will be returned to all the unsuccessful Tenderer after finalization of the Tender. No interest shall be paid on the Earnest Money Deposit for delay in return for any reason, whatsoever may be.

8. SPECIFICATIONS - Part – “A”

8.1: Items with details (Bill of material): -

S. No.	Item Description	OEM Make/Part No.	Proposed make /brand by the bidder	Technically Complied Yes/No (to be filled by bidder)	Category
1.	UTP CAT 6 cable (Box of 305 m)	D-link/ Legrand /Molex or equivalent brand of repute			A
2.	24 port Patch Panel CAT 6 (each)	D-link/ Legrand/ Molex or equivalent brand of repute			A
3.	Information Outlet CAT 6 (faceplate + keystone jack+ gang box (each complete set) D-link/ Legrand /Molex or equivalent brand of repute				
3 a	1-port	D-link/ Legrand/ Molex or equivalent brand of repute			A
3 b	2-port	D-link/ Legrand/ Molex or equivalent brand of repute			A
3 c	4-port	D-link/Legrand/ Molex or equivalent brand of repute			A
4.	Patch Cords CAT 6 (each) At least in 2 colour as per order) D-link/Legrand/Molex or equivalent brand of repute				
4 a	1 Meter	D-link/Legrand/ Molex or equivalent brand of repute			A
4 b	2 Meter	D-link/Legrand/ Molex or equivalent brand of repute			A
5.	FIBER COMPONENTS- Fiber Optic indoor/outdoor tight buffered cable single mode (SM) (Per Meter) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
5 a	6 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
5 b	12 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
5 c	24 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A

6.	Fiber Optic outdoor armoured cable single mode (SM) (Per Meter) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
6 a	6 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
6 b	12 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
6 c	24 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
7.	Optical Fiber Connector SC Type, Epoxy less (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
7 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
8.	Optical Fiber Connectors LC Type, Epoxyless (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
8 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
9.	Optical Fiber pigtail SC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
9 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
10.	Optical Fiber pigtail LC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link /Legrand/Molex or equivalent brand of repute				
10 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
11.	Optical Fiber Patch Cord, MM SC to SC (each) 3M/ finolex /Fujitsu/ D-link/ Legrand/Molex or equivalent brand of repute				
11 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A

12.	Optical Fiber Patch Cord, MM, SC to LC (each) 3M/ finolex /Fujitsu/D-link /Legrand/Molex or equivalent brand of repute				
12 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
13.	Optical Fiber Patch Cord, SM, SC to LC (each) 3M/ finolex /Fujitsu/D-link /Legrand/Molex or equivalent brand of repute.				
13 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
14.	Optical Fiber Patch Cord Duplex, SM, SC to SC (each) 3M/ finolex /Fujitsu/ D-link /Legrand/Molex or equivalent brand of repute.				
14 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
15.	Optical Fiber Patch Cord, SM, LC to LC (each) 3M/ finolex /Fujitsu/ D-link /Legrand/Molex or equivalent brand of repute.				
15 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
16.	Optical Fiber Patch Cord, MM, OM-3+SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
16 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute			A
17.	LIU, 24 fiber, Wall mount enclosure, lockable & fitted with SC/LC couplers & all accessories (each) 3M/ finolex /Fujitsu/D-link/Legrand /Molex or equivalent brand of repute				
17 a	LIU WITH SC MM COUPLER	3M/ finolex /Fujitsu/ D-link /Legrand/ Molex or equivalent brand of repute			A
17 b	LIU WITHSC SM COUPLER	3M/ finolex /Fujitsu/ D-link /Legrand/ Molex or equivalent brand of repute			A
17 c	LIU WITH LC MM COUPLER	3M/ finolex /Fujitsu/D-link /Legrand/ Molex or equivalent brand of repute			A
17 d	LIU WITH LC SM COUPLER	3M/ finolex /Fujitsu/ D-link /Legrand/ Molex or equivalent brand of repute			A

18.	LIU, 12 fiber, 1U/ 2U drawer style 19 " Rack mount enclosure & fitted with SC/LC couplers & all accessories (each) 3M/ finolex/Fujitsu/D-link /Legrand/Molex or equivalent brand of repute				
18 a	LIU WITH SC MM COUPLER	3M/ finolex /Fujitsu/ Dlink /Legrand/ Molex or equivalent brand of repute			A
18 b	LIU WITH SC SM COUPLER	3M/ finolex/Fujitsu /D-link/Legrand/ Molex or equivalent brand of repute			A
18 c	LIU WITH LC MM COUPLER	3M/ finolex /Fujitsu/ D-link /Legrand/ Molex or equivalent brand of repute			A
18 d	LIU WITH LC SM COUPLER	3M/ finolex /Fujitsu/ D-link /Legrand/ Molex or equivalent brand of repute			A
19.	<i>Installation & Termination, Documentation & Site Certification of UTP and Fiber Cabling</i>				
19 a	In-building laying of UTP CAT 6A / CAT 6 Cable (Per Meter)	As per actual			A
19 b	Installation & Termination or Information outlets (including termination of CAT 6/ CAT 6A Cable on I/O	As per actual			A
19 c	Installation & Termination of UTP Cables on Patch Panel CAT 6/ CAT 6A with wire manager	As per actual			A
19 d	Performance testing of the laid UTP CAT 6/ CAT 6 A (Penta Scanner reports & documentation) (Per Node)	As per actual			A
20.	Site Certification for UTP CAT6/CAT 6A & Fiber cabling with 15 years Performance warranty (Per site) As per actual.				
20 a	Site up to 100 Nodes (Per site)	As per actual			A

20 b	Site up to 500 Nodes (Per site)	As per actual			A
21.	Supply & fixing of ISI/ISO marked PVC duct of Size (Per Meter) ISI / ISO (OEM)				
21 a	15 x 15 mm	ISI / ISO (OEM)			A
21 b	30 x 25 mm	ISI / ISO (OEM)			A
21 c	40 x 25 mm	ISI / ISO (OEM)			A
22.	Supply and fixing of PVC Conduit of OD Size (Per Meter) ISI / ISO (OEM)				
22 a	20 mm	ISI / ISO (OEM)			A
22 b	32 mm	ISI / ISO (OEM)			A
22 c	40 mm	ISI / ISO (OEM)			A
23.	Removal of Old UTP/ Fiber / coaxial RS 232/telephone cables (per Meter)	Per Meter			A
24.	In building laying of fiber in duct/ conduit (per meter)	Per Meter			A
25.	Outdoor laying of fiber cable (per Meter)				
25 a	Excavation and resurfacing of the Soft soil (depth 1 meter)	Depth 1 Meter			A
25 b	Excavation and resurfacing of the concrete (depth 1 meter)	Depth 1 Meter			A
25 c	Overhead or through pole				A
26.	Supply and Installation / Fixing of 2" (Inches) diameter HDPE PVC Jacket Underground or on surface (Per Meter) Repute Make	Repute Make			A
27.	SC/LC connector termination on fiber optic cable				A
28.	Fusion/ Mechanical splicing				A
29.	Supply and installation of buffer tubing kit				

30.	Performance testing of laid fiber Optic cable for continuity length & DB loss as per EIA/TIA - 455- 60 document for FO test procedures & documentation of the results.				A
31.	19" equipment mounting Racks				
31 a	19" Rack, wall Mount 500 mm depth or higher, depth, 9 U Height, (lockable) with all accessories (At least 2 cooling fan,1 cable manager, 5/15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute			A
31 b	19" Rack, wall Mount 500 mm depth, 12 U Height, (lockable) with all accessories (At least 2 cooling fan,1 cable manager, 5/15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute			A
31 c	19" Rack, Floor Mount/ Wall Mount 800 mm depth, 24 U Height, (lockable) with all accessories (At least 2 cooling fan,1 cable manager, 15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute			A
31 d	19" Rack, Wall Mount / Floor Mount 1000 mm depth, 32 U Height, (lockable) with all accessories (At least 2 cooling fan,1 cable manager, 15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute			A

31 e	19" Rack, Wall Mount / Floor Mount 1000 mm depth, 42 U Height, (lockable) with all accessories (At least 2 cooling fan,1 cable manager, 15 A 6 port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute			A
32.	LAN Survey & Document Preparation Per node/ actual basis.				
32 a	for up to 100 network nodes, per node				A
32 b	for up to 500 network nodes, per node				A
33.	12 port PoE Network Switches (manageable) Specification- "A"	CISCO / Dell / HP / Juniper or equivalent brand of repute			A
34.	12 port Aggregation Switch Specification-"B"	CISCO / Dell / HP / Juniper or equivalent brand of repute			A
35.	24 port Aggregation Switch Specification- "C"	CISCO / Dell / HP / Juniper or equivalent brand of repute			A
36.	24 port Ethernet managed enterprise series switch with all accessories and Power over Ethernet (PoE) Specification- "D"	CISCO / Dell / HP / Juniper or equivalent brand of repute			A
37.	24 port Ethernet managed enterprise series switch with all Accessories. Specification- "E"	CISCO / Dell / HP / Juniper or equivalent brand of repute			A
38.	48 port Ethernet managed enterprise series switch with all accessories Specification- "F"	CISCO / Dell / HP / Juniper or equivalent brand of repute			A
39.	24 port Aggregation Switch with all accessories. Specification- "G"	CISCO / Dell / HP / Juniper or equivalent brand of repute			A

40.	Dual Band Mesh WiFi router, minimum 1 number of Gigabit Ethernet port, 802.1ax Dual Band Mesh WiFi access point, 4x4:4 MiMo, should be expandable with smart roaming feature & it should be compatible with CISCO ISE & WLC.	D-link/ CISCO / Netgear/Linksys/Dell / HP / Juniper				A
41.	SFP modules of SM should support both SM and MM fiber at minimum 1GBPS. Should be same OEM as item no. 33 to 39	D-link/ CISCO / Netgear/Linksys/Dell / HP / Juniper				A
42.	Media convertor SM (Should support 10/100/1000 Ethernet to 10/100/1000 fiber Onsite support)	Reputed make				A
43.	Media convertor MM (Should support 10/100/1000 Ethernet to 10/100/1000 Fibers Onsite support).	Reputed make				A
44.	Stacking module with stacking cable. Should be same OEM as item no.34 to 39	Reputed make				A
45.	10G SFP module (should support single or multi mode) should be same OEM as item no.34 to 39	Reputed make				A

46.	40G SFP Module (single mode) should be same OEM as item no. 34 to 39	Reputed make			A
47.	40G SFP Module (multi mode) should be same OEM as item no. 34 to 39	Reputed make			A
48.	UTP CAT 6A cable (Box of 305 m)	D-link/ Legrand /Molex or equivalent brand of repute			A
49.	Patch Cords CAT 6A (each) at least in 2 colour as per order) D-link/ Legrand /Molex or equivalent brand of repute				
49 a	3 Meter	D-link/Legrand/Molex or equivalent brand of repute			A
49 b	7 Meter	D-link/Legrand/Molex or equivalent brand of repute			A
49 c	10 Meter	D-link/Legrand/Molex or equivalent brand of repute			A
50.	Information outlet CAT-6A (Faceplate +keystonejack+ gangbox - each complete set) D-link/ Legrand /Molex or equivalent brand of repute				
50 a	1-port	D-link/Legrand/Molex or equivalent brand of repute			A
50 b	2-port	D-link/Legrand/Molex or equivalent brand of repute			A
51.	24 port patch Panel CAT-6A (each)	D-link/Legrand/Molex or equivalent brand of repute			A
52.	Patch Panel Unloaded CAT 6 24 port	D-link/Legrand/Molex or equivalent brand of repute			A
53.	Patch Panel Unloaded CAT 6A 24 port	D-link/Legrand/Molex or equivalent brand of repute			A

SPECIFICATIONS: Part – “B”

8.1.1: Items with details (Bill of material): -

S. No.	Item Description	OEM Make/Part No.	Proposed make /brand by the bidder	Technically Complied Yes/No (to be filled by bidder)	Category
1.	Patch Cords CAT 6 (each) At least in 2 colour as per order/requirement)				
1 a	5 Meter	D-link/Legrand /Molex or equivalent brand of repute			B
2.	Optical Fiber Connector SC Type, Epoxy less (each) 3M/finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute				
2 a	MM	3M/ finolex /Fujitsu/ D-link /Legrand/Molex or equivalent brand of repute			B
3.	Optical Fiber Connectors LC Type, Epoxy less (each) 3M/finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute				
3 a	MM	3M/ finolex /Fujitsu/ D-link /Legrand/Molex or equivalent brand of repute			B
4.	Optical Fiber pigtail SC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
4 a	MM	3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			B
5.	Optical Fiber pigtail LC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
5 a	MM	3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			B
6.	Optical Fiber Patch Cord, MM SC to SC (each) 3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute				
6 a	10 meters	3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			B
6 b	20 meters	3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			B

7.	Optical Fiber Patch Cord, SM, SC to MTRJ (each) MTRJ is required for old networks (at the time of maintenance work as per tender). 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
7 a	3 meters	3M/finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			B
7 b	10 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
7 c	20 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
8.	Optical Fiber Patch Cord, MM, SC to LC (each) 3M/finolex/Fujitsu/D-link /Legrand/Molex or equivalent brand of repute				
8 a	10 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
8 b	20 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
9.	Optical Fiber Patch Cord, SM, SC to LC (each) 3M/ finolex/Fujitsu/D-link /Legrand/Molex or equivalent brand of repute				
9 a	10 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
9 b	20 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
10.	Optical Fiber Patch Cord, SM, SC to SC (each) 3M/finolex/Fujitsu/D-link /Legrand/Molex or equivalent brand of repute				
10 a	10 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			
10 b	20 meters	3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			
11.	Optical Fiber Patch Cord, SM, LC to LC (each) 3M/finolex/Fujitsu/D-link /Legrand/Molex or equivalent brand of repute				

11 a	10 meters	3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			
11 b	20 meters	3M/ finolex/Fujitsu /D-link/Legrand/Molex or equivalent brand of repute			
12.	Optical Fiber Patch Cord, MM, OM-3+SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute				
12 a	10 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
12 b	20 meters	3M/ finolex/Fujitsu /D- link/Legrand/Molex or equivalent brand of repute			B
13.	Site Certification for UTsP CAT6/CAT 6A & Fiber cabling with 15 years Performance warranty (Per site) as per actual				
13 a	Site up to 1000 Nodes (Per site)	As per actual			B
14.	Supply & Fixing of Metal MS Cable Tray/ raceway with covers for mounting on ceiling/floor/wall, with all connecting fittings and sections for hanging, T-Cross, L, Vertical routing/branching of cables etc, size as follows with required fitting kit & accessories for above (per running meter) as per actual				
14 a	50 mm Height x 100 mm width Thickness 1.6mm	Reputed Make			B
14 b	50 mm Height x 200 mm width Thickness 1.6mm	Reputed Make			B
14 c	100 mm Height x 300 mm width Thickness 1.6mm	Reputed Make			B
15.	Supply & Fixing of High Grade PVC cable tray/race way with covers for mounting on ceiling/floor/wall, with all connecting fittings & sections for hanging, T-Cross, L, vertical up/down routing. Branching of cables etc, size as follows with required fitting kit accessories for above (per running meter)				
15 a	50 mm Height x 150 mm width Thickness 2.5 mm to 3 mm	Reputed Make			B
15 b	100 mm Height x 100 mm width 2.5 mm to 3 mm	Reputed Make			B

15 c	100 mm Height x 300 mm width 2.5 mm to 3 mm	Reputed Make			B
16.	Supply and Installation / Fixing of GI Pipe underground and on surface				
16 a	1 inch diameter	Reputed Make			B
16 b	1.5 inch diameter	Reputed Make			B
17.	Supply and installation/ Fixing of 4 Inch HUME pipe underground (Per Meter)	Reputed Make			B
18.	Fiber optics cable route marker (Proper marking should be there in the form of pipe as per the directions of the High Court)	Reputed Make			B
19.	Cable pulling pit made of reinforced concrete and brick walls with removable covers	Reputed Make			B
20.	LAN Survey & Document Preparation				
20 a	for up to 1000 network nodes, per node				B
20 b	for more than 1000 network nodes, per node				B
21.	Blower	(D-link / Eureka Forbes or reputed brand)			B
22.	Four pair wire LAN Crimping Tool	D-link / Krone or reputed brand			B
23.	LAN Punching Tool	D-link / Krone or reputed brand			B
24.	LAN Tester	D-link / Krone or reputed brand			B
25.	Console Cable (USB to RJ45, for switch configuration)	Reputed brand			B
26.	Rack Management 9U to 12U				B
27.	Rack Management 24U to 42U				B
28.	Rack Cooling Fan	Reputed brand			B
29.	Rack Power Spike with at least five	Reputed brand			B

	5/15 Amp socket				
30.	Cable Manager	Repute brand			B
31.	Old Switch /Patch Panel /Rack Removal				B
32.	Rack Shifting 24U to 42U				B
33.	Service Visit Charge after Warranty				B
34.	Redundant Power Supply for switch number 37.				B
35.	Redundant Power Supply for switch number 38.				B

Specification –“A”

S. No.	Item Description	OEM Make/Part No.	Proposed make /brand by the bidder	Technically Complied Yes/No
33.	12 port PoE Network Switches (manageable) Specification- “A”	CISCO /Dell /HP /Juniper or equivalent brand of repute		
33 a	Minimum No. Of 10/100/100 Mbps Base T Ports 12 PoE+			
33 b	Support Entries In The MAC Table 8000			
33 c	Minimum Switching Capacity 12 Gbps			
33 d	Minimum Forwarding capacity 30 Mbps			
33 e	Should have QoS, Loop detection, Jumbo frame (9000), feature			
33 f	Operative temperature 0 to 40 degree C			
33 g	Should be under suitable housing as per certified organization and 1U Rack Mountable.			
33 h	Onsite warranty			
33 i	Switches should have ipv6 logo certified/ready from day 1			

Specification-“B”

34.	12 port Aggregation Switch Specification-“B”.	CISCO /Dell /HP /Juniper or equivalent brand of repute		
34 a	Switch OEM should be in the Gartner’s Leaders or Challengers or visionary quadrant for Wired and Wireless LAN Access Infrastructure or data center networking published in 2023 or later.			
34 b	12 port 10G SFP+ and 2 or 4, 25G /40G /100G uplink ports populated with SM fiber.			
34 c	Switch should have 32K MAC and 8GB RAM and 8 GB flash Switch should have Redundant power supply and multiple FANS.			

34 d	Switch should have Layer 3 features RIP or OSPF, BGP, VRRP, PBR from day one. Switch should have CLI, TELNET OR SSH SNMPv3 and RMON (or equivalent) capability.			
34 e	Switch should have internal power supply. Should have internal redundant power supply from day one.			

Specification - “C”

35.	24 port Aggregation Switch Specification- “C”	CISCO /Dell /HP /Juniper or equivalent brand of repute		
35 a	Switch OEM should be in the Gartner’s Leaders or Challengers or visionary quadrant for Wired and Wireless LAN Access Infrastructure Or datacenter networking published in 2023 or later.			
35 b	24 port 10G SFP+ and 2 x 40G uplink ports populated with SM fiber.			
35 c	Switch should have 32K MAC and 8GB RAM and 8 GB flash Switch should have Redundant power supply and multiple FANS.			
35 d	Switch should have Layer 3 features RIP or OSPF, BGP, VRRP, PBR from day one. Switch should have CLI, TELNET OR SSH (SNMPv3 and RMON (or equivalent) capability			
35 e	Switch should have internal power supply. Should have internal redundant power supply from day one			
35 f	Switch shall have minimum 480 Gbps of switching fabric and 360 Mpps of forwarding rate.			

Specification –“D”

36.	24 port Ethernet managed enterprise series switch with all accessories and Power over Ethernet (PoE)	CISCO /Dell /HP /Juniper or equivalent brand of repute		
36 a	Switch OEM should be in the Gartner’s Leaders or Challengers Or visionary quadrant for Wired and Wireless LAN Access Infrastructure or data center networking published in 2023 or later.			

36 b	Switch should be 1RU with minimum 24 nos. 10/100/1000 Base-T ports with PoE+ capability and minimum 370W of PoE Power and additional 4 nos. SFP+ uplinks ports			
36 c	SFP modules asked at sr.no.41, 45, 46&47 should be from same OEM.			
36 d	Switch should support (excluding uplinks) for minimum 56 Gbps of stacking bandwidth with dedicated stacking ports and cables with minimum 8 switch in stack.			
36 e	Switch should have internal power supply. Should have internal redundant power supply from day one			
36 f	Switch shall have minimum 88 Gbps of switching fabric and 65 Mpps of forwarding rate.			
36 g	Shall have minimum 16 K MAC Addresses and 250 active VLANs.			
36 h	Should support IEEE Standards of Ethernet: IEEE 802.1D, 802.1s, 802.1w, 802.3az, 802.1x, 802.3ad, 802.3x, 802.1p, 802.1Q, 802.3, 802.3u, 802.3ab, 802.3z.			
36 i	Shall have 802.1p class of service, marking, classification, policing and shaping or equivalent. Should support strict priority queuing.			
36 j	Switch should support management features like SSHv2, SNMPv2c, SNMPv3, NTP/SNTP, RADIUS and TACACS+			
36 k	Switch should support port security, DHCP snooping, Dynamic ARP inspection, IP Source guard or IP lock down or ACL, BPDU Guard, Spanning tree root guard.			
36 l	Switch should support IPv6 Snooping, IPv6 RA Guard, IPv6 DHCP Guard or IPv6 lock down or ACL, IPv6 Neighbor Discovery Inspection and IPv6 Source Guard.			
36 m	Should support 802.1x authentication & accounting, IPv4 and IPv6 ACLs and Dynamic VLAN assignment.			
36 n	Switch should support application visibility and traffic monitoring with netFlow/sflow/ jflow entries.			

36 o	Switch shall conform to UL 60950 or IEC 60950 or CSA 60950 or EN 60950 Standards for Safety requirements of Information Technology Equipment.			
36 p	Switch shall conform to EN 55022 Class A/B or CISPR22			
36 q	Class A/B or CE Class A/B or FCC Class A/B Standards for EMC (Electro Magnetic Compatibility) requirements.			
36 r	Switch should be IPv6 logo ready Certified/ IPv6 ready from Day 1.			
36 s	2 GB RAM and 2 GB flash.			
36 t	Switch should have internal power supply. Should have internal redundant power supply from day one.			

Specification –“E”

37.	24 port Ethernet managed enterprise series switch with all accessories.	CISCO /Dell /HP /Juniper or equivalent brand of repute		
37 a	Switch OEM should be in the Gartner’s Leaders or Challengers or visionary quadrant for Wired & Wireless LAN Access Infrastructure or data center networking published in 2023 or later/			
37 b	Switch should be 1RU with minimum 24 nos. 10/100/1000 Base-T ports and additional 4 nos. SFP+ uplinks ports.			
37 c	SFP modules asked at sr. no. 41, 45, 46 & 47 should be from same OEM.			
37 d	Switch should support (excluding uplinks) for minimum 56 Gbps of stacking bandwidth with dedicated stacking ports and cables with minimum 8 switch in stack.			
37 e	Switch should have internal power supply. Should support internal redundant power supply.			
37 f	Switch shall have minimum 88 Gbps of switching fabric and 65 Mpps of forwarding rate.			
37 g	Shall have minimum 16 K MAC Addresses and 250 active Vlans.			
	Should support IEEE Standards of Ethernet: IEEE 802.1D, 802.1s,			

37 h	802.1w, 802.3az, 802.1x, 802.3ad, 802.3x, 802.1p, 802.1Q, 802.3, 802.3u, 802.3ab, 802.3z.			
37 i	Shall have 802.1p class of service, marking, classification, policing and shaping or equivalent. Should support strict priority queuing.			
37 j	Switch should support management features like SSHv2, SNMPv2c, SNMPv3, NTP/SNTP, RADIUS and TACACS+			
37 k	Switch should support port security, DHCP snooping, Dynamic ARP inspection, IP Source guard or IP lock down or ACL, BPDU Guard, Spanning tree root guard.			
37 l	Switch should support IPv6 Snooping, IPv6 RA Guard, IPv6 DHCP Guard or IPv6 lock down or ACL, IPv6 Neighbor Discovery Inspection and IPv6 Source Guard.			
37 m	Should support 802.1x authentication and accounting, IPv4 and IPv6 ACLs and Dynamic VLAN assignment.			
37 n	Switch must have support for L3 functionality like static routing, RIP, PIM, OSPF and PBR from Day1			
37 o	Switch should support application visibility and traffic monitoring with netFlow/sflow/jflow entries.			
37 p	Switch shall conform to UL 60950 or IEC 60950 or CSA 60950 or EN 60950 Standards for Safety requirements of Information Technology Equipment.			
37 q	Switch shall conform to EN 55022 Class A/B or CISPR22 Class A/B or CE Class A/B or FCC Class A/B Standards for EMC (Electro Magnetic Compatibility) requirements.			
37 r	Switch should be tested and certified for EAL/NDPP or above under Common Criteria Certification or PCI certified /compliant.			
37 s	Switch should be IPv6 logo ready Certified / IPv6 ready from Day 1.			
37 t	2 GB RAM and 2 GB flash.			

Specification –“F”

38.	48 port Ethernet managed enterprise series switch with all accessories.	CISCO /Dell /HP /Juniper or equivalent brand of repute		
38 a	SwitchOEM should be in the Gartner's Leaders or Challengers or visionary quadrant for Wired and Wireless LAN Access Infrastructure or data center networking published in 2023 or later.			
38 b	The switch should have minimum 48 x 10/100/1000 Mbps Ethernet Ports and 4x10G SFP+ ports. Switch should have fans or fan-less design for proper cooling.			
38 c	At least 176 Gbps Forwarding bandwidth & 130Mpps forwarding rate			
38 d	DRAM : 2GB & Flash : 2GB			
38 e	Configurable up to 8000 MAC addresses.			
38 f	IEEE 802.1Q VLAN Encapsulation. Upto 250 VLANs should be supported. Support for 4000 VLAN IDs. Centralized VLAN Management. VLANs created on the Core Switches should be propagated automatically.			
38 g	IEEE 802.1d, 802.1s, 802.1w, 802.3ad. Link Aggregation Protocol (LACP)			
38 h	Spanning-tree feature to prevent other edge switches becoming the root bridge.			
38 i	IGMP snooping v3, Support for up to 250 IGMP Groups. IGMP filtering.			
38 j	Support for Detection of Unidirectional Links (in case of fiber			
38 k	The Switch should be able to discover the neighboring device of the same vendor giving the details about the platform, IP Address, Link connected through etc, thus helping			
38 L	Per-port broadcast, multicast, and storm control to prevent faulty end stations from degrading overall systems performance.			
38 m	Local Proxy Address Resolution Protocol (ARP) to work in conjunction with Private VLAN Edge to minimize broadcasts and			

38 n	Multicast VLAN registration (MVR) to continuously send multicast streams in a multicast VLAN while isolating the streams from subscriber VLANs for bandwidth and security reasons.			
38 o	Support for RFC 1492 - TACACS+, RFC 2463 - ICMP IPv6, RFC 2373 - IPv6 Aggregatable Addrs, RFC 246-IPv6 Neighbor Discovery and RFC 2462 - IPv6 Auto configuration.			
38 p	Min 500 ACL entries should be supported.			
38 q	Four egress queues per port to enable differentiated management.			
38 r	SNMP v1, v2c, and v3 and TELNET OR SSH interface support delivers			
38 s	Switch shall conform to EN 55022 Class A/B or CISPR22 Class A/B or CE Class A/B or FCC Class A/B Standards for EMC (Electro Magnetic Compatibility) requirements. Reduction of Hazardous Substances, CE Marking.			
38 t	Switch should have internal power supply. Should have internal redundant power supply from day one			

Specification –“G”

39.	24 port Aggregation Switch Specification- “G”.	CISCO /Dell /HP /Juniper or equivalent brand of repute		
39 a	Switch OEM should be in the Gartner’s Leaders or Challengers or visionary quadrant for Wired and Wireless LAN Access Infrastructure Or datacenter networking published in 2023 or later.			
39 b	24 port 10G SFP+ and 2 x 40G uplink ports populated with SM fiber.			
39 c	Switch should have 32K MAC and 8GB RAM and 8GB flash. Switch should have Redundant power supply and multiple FANS.			
39 d	Switch should have CLI, TELNET, SNMPv3, RMON capability.			
39 e	Switch should have internal power supply. Should have internal redundant power supply from day one			

39 f	Switch shall have minimum 480 Gbps of switching fabric and 360 Mpps of forwarding rate.			
------	---	--	--	--

8.2 Structured Cabling

8.2.1 The Bidder is required to install and commission the structured cabling involving CAT - 6 Cables, Surface Mount I/Os, Jack Panel, PVC conduit / casing / capping with accessories, any other required components such as labels, ferrules etc., and all associated civil works in accordance with the following guidelines:-

- i. Carrying out of the required surveys prior to installation work is the responsibility of the Successful Bidder, if deemed necessary.
- ii. The cabling job should be carried out under the supervision of Network Certified Engineers.
- iii. All the wiring should be fully concealed inside the conduit /casing and no cable (except patch cords) should be visible to the naked eye.
- iv. The cabling shall be properly labeled and ferruled so as to facilitate easy identification and maintenance. The labeling and ferruling shall be documented.
- v. All civil work like cutting, chasing, drilling, etc. shall be finished to ensure smooth leveled surfaces matching the existing aesthetics of the office to the extent possible.
- vi. All waste material shall be properly disposed off from the Registrar General, High Court of Madhya Pradesh premises in an environment friendly manner and complaint to applicable civil /municipal guidelines.

8.2.2 Testing, in conformance to measurement procedures and test parameters for CAT 6 installation as defined in TIA/EIA-568-B standards, of each node using a penta scanner. The certified test results are to be submitted to High Court of M.P., Jabalpur in hardcopy.

8.2.3 Certification of each site for minimum 15 years performance warranty based on the above test results from the manufacturer of the structured network cabling components.

8.2.4 The cabling components and the system (cables, I/Os, Patch Cords and Jack Panel) shall.

- i. IEEE 802.3compliant
- ii. Conform to the TIA/EIA 568standard
- iii. UL listed

8.2.5 The PVC conduit / casing / capping / all accessories and other required components including labels, ferrules, and any other proposed components shall **be ISI /ISO certified**.

8.2.6 The Bidder shall provide the details (technical specifications, dimensions, brochures, make, model, photo catalogues) and conformance to standards mentioned in the tender document.

9. The bidder has to adopt following guidelines for Cabling & Networking:-

9.1 Twisted Pair cable guidelines:-

CONDITION	< 2KVA	2-5KVA	>5KVA
Unshielded power lines or electrical equipment in the proximity to open or non-metal pathways.	5 inches or 12.7 cm	12 inches or 30.5 cm	24 inches or 61 cm
Unshielded power lines or electrical equipment in the proximity to grounded metal conduit pathway.	2.5 inches or 6.4 cm	6 inches or 15.2 cm	12 inches or 30.5 cm
Power lines enclosed in a grounded metal conduit (equivalent shielding) in the proximity to grounded metal conduit pathway.		6 inches or 15.2 cm	12 inches or 30.5 cm
Fluorescent lighting.	12 inches or 30.5 cm		
Transformers & electric motors.	40 inches or 1.02 meter		

9.2 Minimum bending radius for a cable:-

- a. According to EIA/TIA SP-2840A the minimum-bending radius for UTP is 4 x cables outside diameter, about 1 inch. For multi-pair cable the minimum-bending radius is 10 x outside diameter.

- b. For fiber optic cables not in tension, the minimum bend radius is 10 x diameter; cables loaded in tension may not be bent at less than 20 x diameter. SP-2840A states that no fiber optic will be bent on a radius less than 3.0 cm (1.18inches).
- c. Minimum for pulling during installation is 8 x cable diameters; minimum installed radius is 6 x cable diameter for riser cable, 4 x cable diameter for horizontal cable.

9.3 Do's and Don'ts for the Bidder:-

<i>Do's</i>	<i>Don'ts</i>
Use connecting hardware that is compatible with the installed cable.	Do not use connecting hardware that is of a lower category than the cable being used.
Terminate each horizontal cable on a dedicated telecommunications outlet.	Do not tap a new line from the middle of another cable (called bridge taps), as it picks up more noise. Do not leave cables un-terminated.
Locate the main cross-connect near the center of the building to limit cable distances.	Do not locate cross-connects where cable distance will exceed the maximum allowed distance.
Maintain the twist of horizontal and backbone cable pairs up to the point of terminations.	Do not leave any wire pairs untwisted (Keep the twist until the closest possible places to the terminations).
Tie and dress horizontal cables neatly and with a minimum bend radius of 4 times the cable diameter.	Do not over-tighten cables ties. Never use staples or make sharp bends with cables.
Place cabling at a sufficient distance from equipment.	Do not place cable near equipment that may generate high levels of EMI (i.e., electricity wire (power line) and fluorescent light).

For running cable the bidder has to follow following rules:-

- A. Always use more cable than you need. Leave plenty of slack.
- B. Test every part of a network as the time of installation. Even if it is brand new, it may have problems that will be difficult to isolate later.

- C. Stay at least 3 feet away from fluorescent light boxes and other sources of electrical interference.
- D. If it is necessary to run cable across the floor, cover the cable with cable protectors.
- E. Label both ends of each cable.
- F. Use cable ties (not tape) to keep cables in the same location together.
- G. The conduit or casing should not be filled completely with the cables. There should be room for future expansion.

9.4 UTP Cabling Installation:-

- 9.4.1 To avoid stretching, pulling tension should not exceed 110N or (25 lb *f*) for 4-pair cables.
- 9.4.2 Installed bend radii shall not exceed: - 4 times the cable diameter for horizontal UTP cables. -10 times the cable diameter for multi-pair backbone UTP cables.
- 9.4.3 Avoid cable stress, as caused by:- cable twist during pulling or installation – tension in suspended cable runs – tightly clinched cable ties or staples – tight bend radii.
- 9.4.4 Horizontal cables should be used with connecting hardware and patch cords (or jumpers) of the same performance category or higher.
- 9.4.5 Important Note: Installed UTP cabling shall be classified by the least performing component in the link.

9.5 General Guidelines to the Contractor /Bidder:-

- 9.5.1 Tagging each network terminal for easy identification by using Numeric Tags.
- 9.5.2 Unique tag code for uplink so that it is easily identified e.g.

Numeric Tag 00.

- 9.5.3 Proper Termination of Fiber Optics Cable if any use or to be used.
- 9.5.4 Stands for switches should be provided so that the switch is rack mountable.
- 9.5.5 Port of the Patch Panel should be numbered so that the node can be tracked with Numeric Tag.
- 9.5.6 I/O port should be provided and numbered accordingly.

9.6 Documentation to be submitted by the contractor:-

- 9.6.1 Details Descriptive documentation of the Structural Cabling.
- 9.6.2 Test Report of the Network Cable with a comparison of test parameter with the specification parameter and variation.
- 9.6.3. Evaluation Report of the Built IT Infrastructure.
- 9.6.4 Drawings showing the location of cable runs, (preferably with individual cable lengths marked for any legacy thin Ethernet runs).
- 9.6.5 Size and occupancy of any existing cable ducts or conduits, which are available for use when expanding the network.
- 9.6.6 Details of the capacity and type of cabling and connectors used.
- 9.6.7 Details of type of connectors or sockets at either end of each cable.
- 9.6.8 Records of the designation and location of outlets.
- 9.6.9 Any certification carried out on the cabling (e.g. Cat 6 test results).
- 9.6.10 Diagrams showing the relationships of various workstations, file servers, printers and other devices on

the network to one another.

9.6.11 Diagrams showing how any hubs, bridges, switches or routers are used to connect the network (may be shown on a network management system).

9.6.12 Records of software licenses and versions of software installed.

9.6.13 Configurations of Network Interface Cards.

9.7 Site Certification of the Infrastructure:-

Most important part of any infrastructure is its cabling structure on which the infrastructure would be running. There are standards to be followed by the contractor so that performance and quality assurance is guaranteed. This guarantee can also be termed as Site Certification.

There following rules to be followed by the contractor for Site Certification.

9.7.1 Site Certification is provided by the manufacturer against infrastructure build by the System Integrator using the standards.

9.7.2 Standards are typical methods that been have tested by the manufacturer according to the BISCI Standard for its quality performance.

9.7.3 The part products used in Structured cabling all should be of one manufacturer of certain specification throughout to have minimum tolerance.

9.7.4 Cable Selection should be such considering all future aspects.

9.7.5 Cable Selected should be used with appropriate connectors.

9.7.6 All cables should be concealed according to Pathways and Spaces Standards.

9.7.7 Test reports with the details of the loss of signal in terms of crosstalk and due to other factors affecting it.

Annexure-I TECHNO-COMMERCIAL BID

S. No.	Description	Indicate page number where the documents are enclosed
1.	Name, address & telephone number of the Bidder.	
2.	Name, designation, address & telephone number of authorized person.	
3.	Please specify as to whether Tenderer is sole Proprietor/Partnership Firm/Private or Limited Company.	
4.	Name, address & telephone number of Directors/Partners, Fax No., e-mail address.	
5.	Copy of PAN Card issued by Income Tax Department and Copy of previous 3 Financial Year's Income Tax Return 2021-2022, 2022-2023 and 2023-2024. The average annual turnover of the bidder during last three financial years should be minimum Rs. 04 Crore.	
6.	Copy of Valid GST registration details.	
7.	Copy of valid ISO certification of the bidder in the field of Local Area Networking (LAN) and / or Wide Area Networking (WAN) work.	
8.	Valid ISO / ISI Certificate of the products to be supplied and installed (Please attach copy).	
9.	List of company service centers in M.P.	
10.	Latest GST Return.	
11.	Experience Certificate / details for last 5 years regarding installation of Local Area Networking.	
12.	Authorization letter / MAF from OEM's to sale the product in order to have back-to-back warranty and support.	
13.	Details of Bid Security/Earnest Money Deposit: a) Amount: Rs. 20,00,000/- (Twenty Lakh) b) Online payment reference no. c) Date of issue	
14.	Details of online tender fees of Rs.10,000/-	
15.	Furnish the list of Service Engineers and Operators to be deputed for installation of Network at High Court of Madhya Pradesh and District Courts in the State of Madhya Pradesh.	

Declaration by the Bidder:-

This is to certify that I/We before signing this tender have read and fully understood all the terms and conditions contained in the tender document and undertake myself/ourselves to strictly abide by them.

Signature of the Tenderer with Seal

Note: - Please indicate the page numbers where documents are attached. The entire Tender documents should be serially page numbered including enclosures.

It is certified that the particulars given above are true to the best of my/our knowledge/behalf and I/We have read terms/conditions and duties/responsibilities of the Technical Staff to be deputed for the purpose and have also understood the same and to hereby undertake to abide by the same without any reservations on any grounds whatsoever. In case of any breach of the said conditions. I/We shall be responsible for the consequences arising out of such situation(s).

Name & Signature of the
Authorized Signatory of the Agency
(with Seal of the Agency affixed)

Date:

Place:

Annexure-II
PRICE BID

Detail Break up of Cost*

Name of the Bidder:

Part – “A”

S. No.	Item Description	OEM Make/Part No.	Proposed make/brand quote by the bidder	Unit Rate Per Item / per work/ job	GST in Rs.	Any other duty/ levy	Unit Price in Rupees (all inclusive)
1	2	3	4	5	6	7	8=7+6+5
1.	UTP CAT 6 cable (Box of 305 m)	D-link/ Legrand /Molex or equivalent brand of repute					
2.	24 port Patch Panel CAT 6 (each)	D-link/ Legrand/ Molex or equivalent brand of repute					
3.	Information Outlet CAT 6 (faceplate +keystonejack+ gangbox (each complete set) D-link/ Legrand/Molex or equivalent brand of repute						
3 a	1-port	D-link/ Legrand/ Molex or equivalent brand of repute					
3 b	2-port	D-link/ Legrand/ Molex or equivalent brand of repute					
3 c	4-port	D-link/Legrand/ Molex or equivalent brand of repute					
4.	Patch Cords CAT 6 (each) At least in 2 colour as per order) D- link/Legrand/Molex or equivalent brand of repute						
4 a	1 Meter	D-link/Legrand/ Molex or equivalent brand of repute					
4 b	2 Meter	D-link/Legrand/ Molex or equivalent brand of repute					
5.	FIBER COMPONENTS- Fiber Optic indoor/outdoor tight buffered cable single mode (SM) (Per Meter) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
5 a	6 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
5 b	12 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					

5 c	24 core	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
6.	Fiber Optic outdoor armoured cable single mode (SM) (Per Meter) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
6 a	6 core	3M/ finolex /Fujitsu /D-link/Legrand/ Molex or equivalent brand of repute					
6 b	12 core	3M/ finolex /Fujitsu /D-link/Legrand/ Molex or equivalent brand of repute					
6 c	24 core	3M/ finolex /Fujitsu /D-link/Legrand/ Molex or equivalent brand of repute					
7.	Optical Fiber Connector SC Type, Epoxy less (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
7 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
8.	Optical Fiber Connectors LC Type, Epoxy less (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
8 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
9.	Optical Fiber pigtail SC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
9 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
10.	Optical Fiber pigtail LC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
10 a	SM	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
11.	Optical Fiber Patch Cord, MM SC to SC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
11 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
12.	Optical Fiber Patch Cord, MM, SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						

12 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
13.	Optical Fiber Patch Cord, SM, SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute.						
13 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
14.	Optical Fiber Patch Cord, SM, SC to SC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute.						
14 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
15.	Optical Fiber Patch Cord, SM, LC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute.						
15 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
16.	Optical Fiber Patch Cord, MM, OM-3+SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
16 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
17.	LIU, 24 fiber, Wall mount enclosure, lockable & fitted with SC/LC couplers & all accessories (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
17 a	LIU WITH SC MM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
17 b	LIU WITH SC SM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
17 c	LIU WITH LC MM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
17 d	LIU WITH LC SM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
18.	LIU, 12 fiber, 1U/ 2U drawer style 19 " Rack mount enclosure & fitted with SC/LC couplers & all accessories (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						

18 a	LIU WITH SC MM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
18 b	LIU WITH SC SM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
18 c	LIU WITH LC MM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
18 d	LIU WITH LC SM COUPLER	3M/ finolex /Fujitsu/ D-link/Legrand/ Molex or equivalent brand of repute					
19.	Installation & Termination, Documentation & Site Certification of UTP and Fiber Cabling						
19 a	In-building laying of UTP CAT 6A / CAT 6 Cable (Per Meter)	As per actual					
19 b	Installation & Termination or Information outlets (including termination of CAT 6/ CAT 6A Cable on I/O	As per actual					
19 c	Installation & Termination of UTP Cables on Patch Panel CAT 6/ CAT 6A with wire manager	As per actual					
19 d	Performance testing of the laid UTP CAT 6/ CAT 6 A (Penta Scanner reports & documentation) (Per Node)	As per actual					
20.	Site Certification for UTP CAT6/CAT 6A & Fiber cabling with 15 years Performance warranty (Per site) As per actual.						
20 a	Site up to 100 Nodes (Per site)	As per actual					
20 b	Site up to 500 Nodes (Per site)	As per actual					

21.	Supply & fixing of ISI/ISO marked PVC duct of Size (Per Meter) ISI / ISO (OEM)						
21 a	15 x 15 mm	ISI / ISO (OEM)					
21 b	30 x 25 mm	ISI / ISO (OEM)					
21 c	40 x 25 mm	ISI / ISO (OEM)					
22.	Supply and fixing of PVC Conduit of OD Size (Per Meter) ISI / ISO (OEM)						
22 a	20 mm	ISI / ISO (OEM)					
22 b	32 mm	ISI / ISO (OEM)					
22 c	40 mm	ISI / ISO (OEM)					
23.	Removal of Old UTP/ Fiber / coaxial RS 232/telephone cables	Per meter					
24.	In building laying of fiber in duct/ conduit	Per meter					
25.	Outdoor laying of fiber cable (per Meter)						
25 a	Excavation and resurfacing of the Soft soil	depth 1 meter					
25 b	Excavation and resurfacing of the concrete	depth 1 meter					
25 c	Overhead or through pole						
26.	Supply and Installation / Fixing of 2" (Inches) diameter HDPE PVC Jacket Underground or on surface (Per Meter)	Repute Make					
27.	SC/LC connector termination on fiber optic cable						
28.	Fusion/ Mechanical splicing						
29.	Supply and installation of buffer tubing kit						

30.	Performance testing of laid fiber Optic cable for continuity length & DB loss as per EIA/TIA - 455-60 document for FO test procedures & documentation of the results.						
31.	19" equipment mounting Racks						
31 a	19" Rack, wall Mount 500 mm Depth or higher, 9 U Height, (lockable) with all accessories (At least 2 cooling fan, 1 cable manager, 5/15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute					
31 b	19" Rack, wall Mount 500 mm depth, 12 U Height, (lockable) with all accessories (At least 2 cooling fan, 1 cable manager, 5/15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute					
31 c	19" Rack, Floor Mount /Wall Mount 800 mm depth, 24 U Height, (lockable) with all accessories (At least 2 cooling fan, 1 cable manager, 15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute					

31 d	19" Rack, Wall Mount / Floor Mount 1000 mm depth, 32 U Height, (lockable) with all accessories (At least 2 cooling fan, 1 cable manager, 15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute					
31 e	19" Rack, Wall Mount / Floor Mount 1000 mm depth, 42 U Height, (lockable) with all accessories (At least 2 cooling fan, 1 cable manager, 15A 6port spike guard)	Rittal/D-link,Valrack or equivalent brand of repute					
32. LAN Survey & Document Preparation Per node/ actual basis.							
32 a	for up to 100 network nodes,	Per node					
32 b	for up to 500 network nodes,	Per node					
33.	12 port PoE Network Switches (manageable) Specification- "A"	CISCO / Dell / HP / Juniper or equivalent brand of repute					
34.	12 port Aggregation Switch Specification- "B"	CISCO / Dell / HP / Juniper or equivalent brand of repute					
35.	24 port Aggregation Switch Specification- "C"	CISCO / Dell / HP / Juniper or equivalent brand of repute					
36.	24 port Ethernet managed enterprise series switch with all accessories & Power over Ethernet (PoE) Specification- "D"	CISCO / Dell / HP / Juniper or equivalent brand of repute					

37.	24 port Ethernet managed enterprise series switch with all accessories. (Specification-“E”)	CISCO / Dell / HP / Juniper or equivalent brand of repute					
38.	48 port Ethernet managed enterprise series switch with all accessories. (Specification-“F”)	CISCO / Dell / HP / Juniper or equivalent brand of repute					
39.	24 port Aggregation switch with all accessories. (Specification-“G”)	CISCO / Dell / HP / Juniper or equivalent brand of repute					
40.	Dual Band Mesh WiFi router, minimum 1 number of Gigabit Ethernet port, 802.1ax Dual Band Mesh WiFi access point, 4x4:4 MiMo, should be expandable with smart roaming feature & it should be compatible with CISCO ISE & WLC.	D-link/ CISCO / Netgear/Linksys/Dell / HP / Juniper					
41.	*SFP modules of SM Should support both SM and MM fiber at minimum 1 GBPS. Should be same OEM as item no. 33 to 39	D-link/ CISCO / Netgear/Linksys/Dell / HP / Juniper					

42.	Media convertor SM (Should support 10/100/1000 Ethernet to 10/100/1000 fiber Onsite support)	Reputed make					
43.	Media convertor MM (Should support 10/100/1000 Ethernet to 10/100/1000 Fiber Onsite support).	Reputed make					
44.	Stacking module with stacking cable. Should be same OEM as item no.34 to 39	Reputed make					
45.	10G SFP module (should support single or multi mode) should be same OEM as item no.34to 39	Reputed make					
46.	40G SFP module (single mode) should be same OEM as item no. 34 to 39	Reputed make					
47.	40G SFP module (multi mode) should be same OEM as item no. 34 to 39	Reputed make					
48.	UTP CAT 6A cable (Box of 305 m)	D-link/ Legrand/Molex or equivalent brand of repute					
49.	Patch Cords CAT 6A (each) at least in 2 colour as per order) D-link/ Legrand /Molex or equivalent brand of repute						
49 a	3 Meter	D-link/Legrand /Molex or equivalent brand of repute					

49 b	7 Meter	D-link/Legrand /Molex or equivalent brand of repute					
49 c	10 Meter	D-link/Legrand /Molex or equivalent brand of repute					
50.	Information outlet CAT-6A (Faceplate +keystonejack+ gangbox - each complete set) D-link/ Legrand /Molex or equivalent brand of repute						
50 a	1-port	D-link/Legrand/Molex or equivalent brand of repute					
50 b	2-port	D-link/Legrand/Molex or equivalent brand of repute					
51.	24 port patch Panel CAT-6A (each)	D-link/Legrand/Molex or equivalent brand of repute					
52.	Patch Panel Unloaded CAT 6 24 port	D-link/Legrand/Molex or equivalent brand of repute					
53.	Patch Panel Unloaded CAT 6A 24 port	D-link/Legrand/Molex or equivalent brand of repute					

Annexure-II**PRICE BID**

Detail Break up of Cost*

Name of the Bidder:

Price Bid Part –“B”

S. No.	Item Description	OEM Make/Part No.	Proposed make/brand quote by the bidder	Unit rate per item / per work / job	GST in Rs.	Any other duty / levy	Unit Price in rupees (all inclusive)
1	2	3	4	5	6	7	8=7+6+5
1.	Patch Cords CAT 6 (each) At least in 2 colour as per order/requirement)						
1 a	5 Meter	D-link/Legrand /Molex or equivalent brand of repute					
2.	Optical Fiber Connector SC Type, Epoxyless (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
2 a	MM	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
3.	Optical Fiber Connectors LC Type, Epoxyless (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
3 a	MM	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
4.	Optical Fiber pigtail SC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
4 a	MM	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
5.	Optical Fiber pigtail LC Type, 1 meter (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
5 a	MM	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
6.	Optical Fiber Patch Cord, MM SC to SC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						

6 a	10 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
6 b	20 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
7.	Optical Fiber Patch Cord, SM, SC to MTRJ (each) MTRJ is required for old networks (at the time of maintenance work as per tender). 3M/finolex/Fujitsu/D-link/Legrand/Molex or equivalent brand of repute						
7 a	3 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
7 b	10 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
7 c	20 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
8.	Optical Fiber Patch Cord, MM, SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
8 a	10 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
8 b	20 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
9.	Optical Fiber Patch Cord, SM, SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
9 a	10 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					

9 b	20 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
10.	Optical Fiber Patch Cord, SM, SC to SC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
10 a	10 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
10 b	20 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
11.	Optical Fiber Patch Cord, SM, LC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
11 a	10 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
11 b	20 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
12.	Optical Fiber Patch Cord, MM, OM-3+SC to LC (each) 3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand of repute						
12 a	10 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
12 b	20 meters	3M/ finolex /Fujitsu/ D-link/Legrand/Molex or equivalent brand ofrepute					
13.	Site Certification for UTP CAT6/CAT 6A & Fiber cabling with 15 years Performance warranty (Per site) as per actual						
13 a	Site up to 1000 Nodes(Per site)	As per actual					

14.	Supply & Fixing of Metal MS Cable Tray/ raceway with covers for mounting on ceiling / floor/ wall, with all connecting fittings and sections for hanging, T- Cross, L, Vertical routing/branching of cables etc, size as follows with required fitting kit & accessories for above (per running meter) as per actual						
14 a	50 mm Height x 100 mm width Thickness 1.6mm	Reputed Make					
14 b	50 mm Height x 200 mm width Thickness 1.6mm	Reputed Make					
14 c	100 mm Height x 300 mm width Thickness 1.6mm	Reputed Make					
15.	Supply & Fixing of High Grade PVC cable tray/ race way with covers for mounting on ceiling / floor/ wall, with all connecting fittings & sections for hanging, T, Cross, L, vertical up/down routing. Branching of cables etc, size as follows with required fitting kit accessories for above (per running meter)						
15 a	50 mm Height x 150 mm width Thickness 2.5mmto3mm	Reputed Make					
15 b	100 mm Height x 100 mm width 2.5mm to3mm	Reputed Make					
15 c	100 mm Height x 300 mm width 2.5mm to3mm	Reputed Make					
16.	Supply and Installation / Fixing of GI Pipe underground and on surface						
16 a	1 inch diameter	Reputed Make					
16 b	1.5 inch diameter	Reputed Make					
17.	Supply and installation/ Fixing of 4 Inch HUME pipe underground (Per Meter)	Reputed Make					

18.	Fiber optics cable route marker (Proper marking should be there in the form of pipe as per the directions of the High Court)	Reputed Make					
19.	Cable pulling pit made of reinforced concrete and brick walls with removable covers	Reputed Make					
20.	LAN Survey & Document Preparation						
20 a	up to 1000 network nodes, per node	Per Node					
20 b	for more than 1000 network nodes, per node	Per Node					
21.	Blower	(D-link / Eureka Forbes or reputed brand)					
22.	Four pair wire LAN Crimping Tool	D-link / Krone or reputed brand					
23.	LAN Punching Tool	D-link / Krone or reputed brand					
24.	LAN Tester	D-link / Krone or reputed brand					
25.	Console Cable (USB to RJ45, for switch configuration)	Reputed brand					
26.	Rack Management 9U to 12U	Reputed brand					

27.	Rack Management 24U to 42U	Repute brand					
28.	Rack Cooling Fan	Repute brand					
29.	Rack Power Spike with at least five 5/15 Amp socket	Repute brand					
30.	Cable Manager	Repute brand					
31.	Old Switch /Patch Panel /Rack Removal						
32.	Rack Shifting 24U to 42U						
33.	Service Visit Charge after Warranty						
34.	Redundant Power Supply for switch number 37.						
35.	Redundant Power Supply for switch number 38.						

Total Bid Price (Rs.) _____

In words _____

Signature of Bidder with seal _____

Name _____

Business address _____

Tel. No. & Mobile No. _____

Email: _____

Place: _____

Date: _____

Seal and Signature of the Bidder

Note:-

1. **The criteria for selection of bidder will be based on Table - "A" of the financial sheet. All the line items rates are to be filled by the prospective bidders.**
2. **Not mentioning the rates in the financial bid / commercial bid of any of the line item may lead to disqualification of the bid.**
3. **The quantities mentioned above are indicative only. The Registrar General reserves the right to change the quantities and the configuration of items mentioned above without assigning any reason thereof.**
4. **The payment to the vendor shall be made as per actual use of above items for the Installation of Local Area Networking and other related work.**
5. **All prospective bidders are requested to submit the bid and if there is any deviation in the specification, please mention the same in the deviation statement sheet.**
6. **The shortlisted vendor has to complete the LAN work within the fixed timeframe of 60 days from date of work order. The work order may be placed in phases.**
7. **The payment shall be made to successful bidder, only after submitting requisite document to the High Court as per the tender document.**
8. **All the quoted products make and model shall be finalized by the committee of the High Court.**
9. **The financial bids are to be submitted only online and no hard copy to be submitted along with the bid.**
10. **The network switches of all the Specifications should have EAL/ NDPP or above under Common Criteria**

Certification.

- 11. The network switches having specification - B, C and G should have minimum 8 GB RAM and 8 GB flash as per the tender document.**
- 12. The network switches having specification- D, E and F should have minimum 2 GB RAM and 2 GB flash.**
- 13. SFP modules asked at sr. no. 41, 45, 46 & 47 should be from same OEM /Make.**
- 14. The network switches should have proper fans for cooling or should have fan less design for proper cooling.**
- 15. All Prospective bidders are requested to submit the bid with all relevant documents and product brochures / catalogues in sequenced manner.**
- 16. On introduction of new levy / taxes / duties the rate / price of items shall be change in same proportionate.**
- 17. All network switches to be compatible with the existing LAN infrastructure of the High Court and District Courts on IEEE standard protocols.**
- 18. Switch should be IPv6 ready / logo ready Certified.**
- 19. The specifications mentioned in tender document are minimum and the vendor may quote higher specifications items.**
- 20. All the pages of the bids and Annexure's are to be sealed and signed by the authorized officers of the company /vendor.**
- 21. The bidder has to quote only 01 product of single make / brand at a time and not multiple brands for same item.**
- 22. The Original equipment manufacturer (OEM) may**

authorize more than one partner for participation in the bid /tender process.

23. Back-to-Back support letter is to be submitted by OEM regarding support of the quoted products.

24. The High Court of Madhya Pradesh has full rights to accept or reject any bid, without assigning any reason.

CERTIFICATES

WE CERTIFY THAT:

1. We will not LEAK / DISCLOSE any information of High Court of Madhya Pradesh to any other institutions/organizations, bodies and also in the market on the rates less than the prices quoted by us to the High Court.
2. The rate of TAXES / DUTIES mentioned in the tender is in accordance with the provisions of the rules in all respects and the same is payable to the Government Authorities.
3. The material / items offered shall be of the **best quality** strictly in accordance with the specifications and particulars as detailed in the tender.
4. The information furnished by us in the tender are true and correct to the best of our knowledge and belief.
5. We have read and understood the rules, regulations, terms and conditions of tender as applicable from time to time and agree to abide by them.

Authorized Signatory
(Seal of the Company)