

HIGH COURT OF MADHYA PRADESH: JABALPUR

// CLARIFICATION/ CORRIGENDUM //

No. Reg(IT)(SA)/2018/840

Jabalpur, Dated:21/06/2018

Subject:- The matter relates to publish the clarification of the Pre-Bid meeting dated: 23rd May, 2018 of the tender regarding supply, installation of customized / modular & standard furniture and partitions for the High Court and Subordinate Courts in the State of Madhya Pradesh with reference to the tender no. Reg(IT)(SA)/2018/749, Dated:08.05.2018.

Ref: - Pre-Bid Meeting Dated: 23rd May, 2018 at 02:00 PM.

Reply / clarification to the pre-bid queries

S.N o.	Page No. & Clause No.	Description	Query of the bidder	Reply / clarification to the query
1.	-	-	The Manufacturer must have service network in minimum 15 Districts of MP.	The Original Equipment Manufacturer (OEM) must have service network at minimum 4 Divisional Headquarters for proper service / delivery of the furniture i.e. at Bhopal, Indore, Jabalpur and Gwalior. This will help in proper supply and maintenance of furniture articles.
2.	-	-	The Gross Turnover should be more than 100 Crore in the last 3 financial years.	The vendor should have minimum average turnover of Rs.5 Crore Rupees during last three financial years i.e. 2015-16, 2016-17 and 2017-18. The bidder has to quote as per tender.
3.	-	-	Inclusion of	The vendor

			quality certification like ISO – 9001:2008, ISO 14001:2004, ISO 18001:2007, ISO 50001:2011, Green Guard Certification & BIFMA membership.	should have following certifications i.e. ISO – 9001:2008, ISO 14001:2004, ISO 18001:2007, Green Guard Certification & BIFMA membership.
4.	-	-	The qualified bidders shall have to arrange for their Plant/Factories visit of the authorized Technical Committee members on their own cost to evaluate their production/Manufacturing capabilities	It will depend on High Court Committee that whether to visit the factory or plant of Original Equipment Manufacturer (OEM) or not?
5.	-	-	The Standard Testing Certificates of the Furniture being supplied to be furnished for evaluations.	Yes, the standard Certification are to be submitted by the vendor to the High Court of M.P., Jabalpur .
6.	-	-	To reconsider the delivery Schedule of 30 days & increase the same to maximum 45 days, considering that the supplies need to be made to distant locations.	The maximum time for delivery for supply of furniture has been increased from <u>30 days to 60 days</u> .
7.	-	-	Kindly clarify that Exemption of Earnest Money is also applicable to MSME As Per Central Govt. Notification No. 5(2)/3/2015-MSME Pol dated 15.10.2015 Please find the	Firm Registered under NSIC are exempted from submission of tender fees and Earnest Money Deposit (EMD).

			attached Copy of Notification and MSME Registration Certificate of the Company for your reference.	
8.	-	-	Kindly intimate time and place where we have to erect on SAMPLE of full height Partition, Work Station and Chairs. Also kindly inform whether all the Tendered items or limited items are to be submitted and erected.	It shall be decided by the respective Committee of the High Court that what items are to be call for demonstration and testing purpose. Sufficient time shall be provided to the shortlisted vendors for giving the demonstration of furniture articles.
9.	Page No 40, Table technical specification.	Table for RPFC (Option 1) Providing & fixing table having an overall size of (3000x1200 x750) with top made of 36mm thick board pressed with 0.4mm thick membrane foil clad pressed with PU glue. The foil shall be pre-coated with a layer of polyurethane for better scratch resistance. The table shall	Can we supply Post form or membrane	No Change.

		<p>have 2 former module supported on steel vertical post of 65mm dia duly powder coated. The main table shall have understructure having verticals made of 36mm thick post formed legs supported with 32(D) steel studs duly powder coated and modesty made of 18mm thick prelaminated particle board having decorative laminate on both side.</p>		
10.	Page No. 6, point no. f	<p>Demonstration of the quoted items will be the part of the technical bid. Bidders shall have to erect one sample of full height Partition, Workstation, chairs etc. as per BOQ/drawing</p>	<p>Please provide Layout of area to be furnished as mock up</p>	<p>It shall be decided by the respective Committee of the High Court that what items are to be call for demonstration and testing purpose. Sufficient time shall be provided to the shortlisted vendors for giving the demonstration of furniture articles.</p>

		specifications at the site as makes up/sample item.		
11.	Page No. 62, 63 Table for RPFC item no. 7 & 8	SECTION B (Table), Table for RPFC (Option 1), Table for RPFC (Option 2)	Regional Commissioner (Option 1) & (Option 2)	PF The word RPFC has been replaced by table for court rooms/sections. (Option 1) (District Judge) Providing & fixing table having an overall size of (2000x1100x750) with top made of 36mm thick board pressed with 0.4mm thick membrane foil clad pressed with PU glue. The foil shall be Pre-coated with a layer of polyurethane for better scratch resistance. The main table shall have understructure having verticals made of 36mm thick post formed legs supported with 32(D) steel studs duly powder coated and modesty made of 18mm thick prelaminated particle board having decorative laminate on both side. Side Unit: Providing & Fixing side Unit having overall size

				<p>(1200x565x690)x 600mm without top & 1250mm with top made of 36mm thick board pressed with 0.4mm thick membrane foil clad pressed with PU glue. The foil shall be pre-coated with a layer of polyurethane for better Scratch resistance. Side unit shall have understructure having verticals made of 25mm thick post formed and made of 18mm thick prelaminated Particle board having decorative laminate.</p> <p>Back Unit : Providing & fixing Back Unit having overall size (3000x490x750) and top made of 36mm thick board pressed with 0.4mm thick membrane foil and pressed with PU glue. The foil shall be pre-coated with a layer of polyurethane for better scratch resistance.</p> <p>Storage unit of size 2550 x 500 x 714 shall have understructure having verticals</p>
--	--	--	--	---

				<p>made of 18mm thick prelaminated particle with 2 open able shutter storage and drawer fascia in membrane finish and glass.</p> <p>Table for RPFC (Option 2) (D.J.) Providing & Fixing angular table having an overall size of (2100 x 900 x 750) with top made of 36mm thick board Pressed with 0.4mm thick membrane foil clad pressed with PU glue. The foil shall be pre-coated with a layer of polyurethane for better scratch Resistance, in 2 angular pieces. The main table shall have understructure having verticals made of 36mm thick post formed legs with modesty made of 18mm thick prelaminated particle board having decorative laminate on both sides. The table shall also have a Drawer Unit of Size 460 x 575 x 550 made up of 2 drawer + 1 Filling in 18mm prelaminated</p>
--	--	--	--	---


				<p>particle board with Membrane fascia in inner steel.</p> <p>Side Unit: Providing & Fixing Side Unit having overall size (1200x550x714)x750mm made of 35mm thick board pressed with 0.4mm thick membrane foil clad pressed with PU glue.</p> <p>The foil shall be pre-coated with a layer of polyurethane for better scratch resistance. Table shall have understructure made of 18mm thick prelaminated particleboard having decorative laminate on both sides. The side unit shall have open able shutter storage & 3 drawer unit, with facia in membrane finish.</p> <p>Back Unit : Providing & Fixing Back Unit having overall size (2400x550x1200 mm (Ht) (750+450) with top made of 36mm thick board pressed with 0.4mm thick membrane foil clad pressed with PU glue. The</p>
--	--	--	--	---

				<p>foil shall be pre-coated with a layer of polyurethane for better scratch resistance. Storage shall have understructure having verticals made of 18mm thick prelaminated particle. The storage of size 2450 x 550 x750 + 450 (H) shall have two openable shutter storages and lateral filing drawer unit. The top shall have provision of placing files vertically in a slanting position with extended top by 650mm to cover the corner.</p>
12.	Page No. 64, Table for APFC item no. 9.	Table for APFC	Table for Assistant Commissioner (APFC)	<p>The word APFC has been replaced by table for court rooms/section.</p> <p>Table for Providing & Fixing table having an overall size of (2000x1000x750) with top made of 36mm thick post formed particle board and former module made of 36mm thick board pressed with 0.4mm thick membrane foil clad pressed</p>


				<p>with PU glue. The foil shall be precoated with a layer of polyurethane for better scratch resistance. The table understructure shall have vertical leg made of 25mm thick post formed particle board on one side and supported by three drawer unit made of 18mm thick PLPB with 50(D) studs made of steel duly powder coated and modesty made of 18mm thick prelaminated particle board having decorative laminate on both sides.</p> <p>Side Table Providing & Fixing side table having an overall size of (1200 x 500 x 714) 600mm without top and 1200mm with top having top made of 36mm thick post formed particle board.</p> <p>Back Unit Providing & Fixing back storage unit having an overall size of 1800+500x500x750+450 (HT)</p>
--	--	--	--	--



				having top made of 36mm thick post formed particle board. The understructure shall be made of 18mm thick prelaminated particle board. The unit shall have two storages with open able shutter. The top shall have provision of placing files vertically in a slant position with extended top by 500mm to cover the corner.
13.	-	General	Tender from OEM for their own brands and as per tender specifications.	Tender is to be quoted by Original Equipment Manufacturer only.
14.	-	-	Warranty of the supplied products.	All the supplied furniture items and articles to be with <u>3 years comprehensive warranty.</u>


The following items added / appended in the bid document:-


S. No.	Tech Specs	Unit	Approximate Qty	Rate	Amount	Images (only for schematic purpose)
1	Table for Judges Category	-	-	-	-	
a	Supplying and placing in position main desk of the following specifications. The main desk shall be	Each	Nil			-

<p>of size 1800 Width mm x 900 Depth mm x 750 Height mm. The table top shall be 25 mm thick MFC (Melamine Faced Chipboard) also there should be 30 mm MDF (Medium density fiberboard) black pad. The modesty panel shall be of 18 mm thick MFC (Melamine faced chipboard).The leg of the main desk shall be of 25 mm MFC plus 30 mm MDF right and left pad. The main table should be of duck noise profile edge in order to enhance the workspace aesthetics.</p> <p>Supplying and placing in position joining table of the following specifications. The joining table RHS shall be of size 1050 Width mm x 1200 Depth mm x 750 Height mm. The top panel shall be 25 mm thick with MFC (Melamine Faced Chipboard).The leg of the joining table shall be of metal. Polyurethane Coated joining table. Supplying and placing in position mobile pedestal of the following specifications. The Mobile Pedestal size shall be 400 Width mm x 560 Depth mm x 560 Height mm. The top panel shall be 25 mm thick MFC (Melamine Faced Chipboard) plus all the other panels</p>						
--	--	--	--	--	--	--

	<p>shall be 18 mm thick coated with MFC (Melamine Faced Chipboard). In Mobile pedestal all other panels shall be of 18 mm thick MFC (Melamine Faced Chipboard).In Mobile pedestal lock and Castors shall be Provided. The handle shall be of Metal.</p>					
b	<p>Side Unit:- Supplying and placing in position free standing return desk of the following specifications. The return desk size shall be 1200 Width mm x 600 Depth mm x 730 Height mm. The top panel shall 25 mm thick MFC (Melamine Faced Chipboard) .The Modesty panel shall be 18 mm thick MFC coated. The leg of the return desk shall be 25 mm thick MFC (Melamine faced chipboard) plus the right and left pad should be 30 mm thick MDF (medium density fiber) coated. Supplying and placing in position bookcase of the following specifications. The bookcase size shall be 790 Width mm x 400 Depth mm x 2200 Height mm. The top panel shall be 25 mm thick MFC (Melamine faced chipboard) plus the bottom panel shall be 25 mm MFC coated. The wood door panels shall be 18 mm thick MFC .The glass door panels</p>	Each	Nil			

	shall be of 5 mm thick plus all the other panels should be 18 mm thick MFC (melamine faced chipboard).The handles shall be of metal. The bookcase unit provides ample amount of storage.					
c	Back Unit :- The Supplying and placing in position back unit of the following specifications. back unit size shall be 1400 Width mm x 470 Depth mm x 760 Height mm. The top panel size shall be 25 mm thick MFC (Melamine faced chipboard). The door panels and all other panels should be 18 mm thick MFC (Melamine faced chipboard) .The handle shall be of metal.	Each	Nil			
2	Single Bed for Guest House	-	-	-	-	-
	Single Bed with 1 Side table having Overall Size : Length - 2060.0 mm x Width - 1131.0 mm x Height - 930.0 mm. Material : Bed Structure shall consist of metal frames made of M.S. Channels in 1.0 mm Thickness. Horizontal plinths and bottom plinth are to be made of 25 mm Thick Prelaminated Particle Board. Head board is to be made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it.	Each	Nil			

	<p>Tail board is to be made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Side rail is to be made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative trims fixed on to it. Mattress panels of Bed are to be made of 18 mm thick Prelaminated Particle Board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding.</p> <p>Construction : Knock Down construction. Finish : 18 mm thick Prelaminated article Board is in Walnut shade. Metal frames are to be powder coated in shade Mat Black to the thickness of 50 microns(+/-10).</p> <p>Bedside Table having Overall Size : Depth - 450.0 mm x Width - 440.0 mm x Height - 510.0 mm Material.</p>					
3.	Bed Side Table for Guest House	-	-	-	-	-
	<p>Body and drawer panels of Bed side table are to be made of 18 mm thick. Prelaminated Particle Board. All the exposed edges are to be edge banded with 0.8 mm thick PVC edge banding. Side panels are to be made of 18 mm thick Prelaminated Particle board with imported H.D.F. foil wrapped decorative</p>	Each	Nil			

	<p>trim fixed on to it. Hardware : The high quality hardware are to be used like Roller slides, Hinges , minifix, dowels is of make Hettich. Construction : Knock Down construction. Finish :. 18 mm thick Prelaminated Particle Board is in Walnut shade.</p>					
4.	Executive Chairs	-	-	-	-	-
	<p>Executive Revolving Chair with Headrest: SEAT/BACK ASSEMBLY: Shall be made up of insert moulded polyurethane foam upholstered with foam laminated mesh fabric. The insert moulded foam is assembled over a load bearing plastic seat cover. The back is made up of two pieces injection moulded frame. The inner frame should be upholstered with mesh fabric and mounted on the main assembly. SIZE: 71 CM(W) x 71 cm(D) x 115.5-131 cm (H) Seat Height: 45-54 POLYURETHANE FOAM : The Polyurethane foam shall be moulded in Density 75 +/- 4kg/m3,. ARMRESTS : The armrest top should be injected moulded in polyurethane and mounted on the injection moulded height adjustable type armrest. The armrest height should be adjustable up to 4.5+-0.5 cm in three</p>	Each	Nil			

<p>steps and width adjustable up to 20mm. FRONT PIVOT SYNCHRO MECHANISM : The synchronized mechanism shall be designed with the following features: 360° revolving type. Front pivot for tilt with feet resting on ground ensuring more comfort. Tilt tension adjustment. 3 position locking with anti-shock. single point control. Make loma</p> <p>CONNECTING SPINE BACKREST: Spine backrest shall be made of aluminum die cast piece connecting back with mechanism.</p> <p>ADJUSTABLE NECK REST ASSEMBLY: Neck rest assembly shall be made of polyurethane foam upholstered with foam laminated mesh fabric. The neck rest assembly shall be mounted on the top of back. It shall be adjustable up to 4.5+-0.5cm up-down and has angular adjustment of 30 degree +-2 degrees.</p> <p>PNEUMATIC HEIGHT ADJUSTMENT: The pneumatic height adjustment shall have an adjustment stroke of 9.0 cm.</p> <p>PEDESTAL: The pedestal shall be Die cast Aluminum fitted with 5 No's twin wheel castors. The pedestal pitch-center dia. is 65.0cm. TWIN</p>						
---	--	--	--	--	--	--

	WHEEL CASTOR : 5 Nos. twin wheel castors shall be injection moulded in Black PP and assembled to Aluminum pedestal.								
--	---	--	--	--	--	--	--	--	--

1. The specifications mentioned in tender document are minimum and the vendor can quote higher or better specification for the supply of furniture articles.
2. The time of completion of project against the work order / supply order is here by extended from 30 days to 60 days.
3. Minimum five work order copies are to be enclosed with the Bid each not less than of Rs.50 Lakh. Out of which two work order copies should be from Govt. Sector and remaining from reputed Private Sector.
4. The bid to be submitted by Original Equipment Manufacturer only.
5. The percentage of performance security that needs to be submitted against each work order / purchase order is to be of minimum 10% of the work order / purchase order value.
6. The date of this tender submission has been extended till 4th July, 2018 before 3:00 P.M.

REGISTRAR GENERAL