HIGH COURT OF MADHYA PRADESH, JABALPUR NOTICE INVITING TENDER

Sealed tenders are invited for the supply and installation of Gym and Fitness Equipments to set up the fitness center at Madhya Pradesh State Judicial Academy as per the specifications, terms and conditions mentioned in the tender document. The sealed tender complete in all respect addressed to the "Registrar General, High Court of Madhya Pradesh, Jabalpur" must be submitted latest by 22nd August, 2016 before 3:00 P.M. The Tender shall be opened on 22nd August, 2016 at 3:30 P.M. The tender document with details of specifications, terms and conditions is available on the official website of the High Court _www.mphc.gov.in and Government tender portal www.tenders.gov.in

Sd/-REGISTRAR GENERAL **HIGH COURT OF MADHYA PRADESH: JABALPUR**

TENDER DOCUMENT FOR PURCHASE OF GYM AND FITNESS

EQUIPMENTS

No.:Reg(IT)(SA)/2016/647

Date:20.07.2016

INVITATION OF THE BID

SCOPE OF THE WORK:

The Registrar General, on behalf of High Court of Madhya Pradesh

invites sealed bids for the supply and installation of Gym Equipments

to set up the Fitness center at Madhya Pradesh State Judicial

Academy as per the specifications mentioned in the tender document

from the reputed manufactures (OEM) or their authorized dealers or

service providers.

DETAILS OF THE BID

i) Last date and time of receipt of bid: 22/08/2016 before 3:00 P.M

ii) Date and time of opening of bid: 22/08/2016 at 3:30 P.M.

iii)Place of submitting of bid and address for communication:

"Inward / Receipt section" of the High Court of Madhya Pradesh,

Jabalpur"

BIDDING PROCEDURE

The prescribed tender document consisting of technical details along with earnest money deposit of Rs. 1,00,000/-, tender fees of Rs. 5000/- and financial details sealed in a single envelope, superscribing "Tender for the supply and installation of Gym and Fitness Equipments to set up the Fitness center at Madhya Pradesh State Judicial Academy" addressed to the "Registrar General, High Court of M.P., Jabalpur" to be submitted before due date and time.

The Bid shall be accompanied by a demand draft of Rs. 1,00,000/-(Rupees One Lakh Only) as earnest money deposit drawn in favour of the "*Registrar General, High Court of M.P., Jabalpur*" and tender fees of Rs. 5,000/-. Bids received without EMD, tender fees or not fulfilling the prescribed conditions will be summarily rejected and decision of the Registrar General, High Court of M.P., Jabalpur in this regard shall be final and binding.

Authorized signature of the Tenderer with seal

Note:

- 1. Fax/Telex/email and incomplete offers will be rejected.
- 2. The Registrar General, High Court of M.P., Jabalpur has the full right to accept or reject any or all bids in part or full, at its absolute discretion without assigning any reason, whatsoever or any notice.
- 3. The number of Gym Equipments may be increased depending on final requirement.

CHAPTER-1

INSTRUCTIONS TO BIDDERS

- 1. The tender document will form an integral part of the Contract to supply the gym equipments.
- The tender document can also be directly downloaded from the
 website www.mphc.gov.in and www.tenders.gov.in. No
 editing, addition/deletion of the matter is permitted, If such
 action is observed at any stage, such tenders are liable for
 outright rejection.
- 3. Only enclosed formats as provided in original should be used. All sheets need to be submitted after affixing seal of the Company and signature of the authorized signatory. Additional sheets, duly authenticated, may be attached to elucidated specifications or clarify the specific issues.
- 4. The prescribed tender document consist of EMD, Technical and financial details, sealed in a single envelope superscribing "Tender for the supply and installation of Gym and Fitness Equipments to set up the Fitness center at Madhya Pradesh State Judicial Academy".
- Tender document should be signed and stamped by the bidder on each page accepting the terms and conditions of the Tender.
- 6. Tenderer has to submit earnest money deposit (EMD) of Rs. 100000/- (Rupees One Lakh Only) and tender fees of Rs. 5,000/-. Tenders received without EMD and tender fees shall be summarily rejected. The EMD shall be refunded (without interest) after the execution of the contract. The earnest money shall be deposited by way of crossed Pay Order/Demand Draft/Bank Guarantee in favour of the "Registrar General High Court of M.P., Jabalpur".

- 7. The Registrar General, High Court of M.P. reserves the right to forfeit the EMD amount on non-acceptance/non-compliance of offer in full or part or if it is found that tenderer has misrepresented in any way.
- 8. Gym and Fitness Equipments can be supplied by the manufacturer directly or through their authorized dealer/authorized channel partners/distributors/service providers. However, Letter of authorization from the manufacturer/parent company (OEM) is to be enclosed along with the bid.
- 9. The bidder shall quote the prices of Gym and fitness Equipments including all taxes, levies, transportation charges, labour and fixture charges. No price revision/alternative will be allowed after the receipt of the Bid.
- 10. All prices and other information in this regard having a bearing on the price shall be written both in figures and words in the prescribed offer form.
- 11. Any conditions/terms given in the bid by vendors shall not be binding on the High Court of M.P., Jabalpur. All the terms and conditions for the supply, delivery, payment, warranty, penalty, etc. will be as given herein and no change in any term or condition by the vendors will be acceptable.
- 12. Canvassing in any form will be viewed seriously and if any Tenderer is found to be resorting to such practice, the Tender of such firm will be rejected.
- 13. The bidder should quote only for the specific brands/models giving details of make, brand, model number etc.
- 14. The cost quoted should include the cost of installation and training etc. on site.
- 15. All columns of this bid should be filled. Any additional information should be enclosed separately and referred to in the relevant column of the bid form. All relevant product literature to be enclosed along with the bid document.

16. Alterations, if any, in the tender document should be attested properly duly signed by the authorized signatory after affixing seal by the vendor, failing which the tender may be rejected.

CHAPTER-2

CONDITIONS OF CONTRACT

- 1. Tenderer should have at least 03 years of experience in the sales, service and support of Gym and Fitness Equipments.
- The Equipments as per the specifications needs to be delivered and installed in the Madhya Pradesh State Judicial Academy, Jabalpur.
- To assist the examination, evaluation and comparison of bids Registrar General, may at its discretion ask the bidder for clarification of its bid including price. Any of the vendors may be called for negotiations at the discretion of the Registrar General.
- 4. Tenderers should enclose copies of valid registration of <u>VAT</u>, <u>PAN No. and Service Tax registration</u>.
- 5. In case of any discrepancy between the unit price and the total price, the unit price shall prevail and total price shall be corrected unless it is lower than the sum total of unit prices. If there is any variation between the amount written in figures and words, then the amount whichever is lower shall be taken into consideration.
- 6. <u>Delivery Period</u>: <u>Maximum Four weeks from the date of purchase order.</u>
- 7. The successful tenderer will have to furnish the Contract Form and unconditional Bank Guarantee to the High Court of M.P., Jabalpur (as per the Proforma approved by Registrar General) within 15 working days of issue of Purchase Order, failing which the purchase order may be cancelled and EMD shall be forfeited.
- 8. The successful tenderer will have to adhere to the delivery schedule strictly. The Registrar General, High Court of M.P., Jabalpur reserves the right to cancel the purchase order and forfeit the EMD, if purchase order is not executed within the stipulated time and to place the order with next successive bidder. The Successful Tenderer, if faced with problems in timely delivery of services, which have dependencies on the Service Provider and/or the Original Equipment manufacturer, which are

beyond their control at any time before the final acceptance signoff, shall immediately inform the Registrar General in writing, about the causes of the delay and tentative duration of such delay etc. The Purchaser, on receipt of such notice, shall analyze the facts at the earliest and may at its sole discretion, extend the contract period as deemed reasonable.

9. Payment term: 70% on delivery and 30% on installation and submission of Bank Guarantee of 10% of the contract value/purchase order value.

10. Warranty:-

- (a) Gym and Fitness Equipments should be under three years free on-site comprehensive warranty and support from the date of installation, including free provision of spare parts, kits as and when required.
- (b) If the Equipments remains down beyond 48 hours, the firm will be required to provide a stand-by of the same or higher configuration, failing which the Registrar General, High Court of M.P., Jabalpur will arrange for the Equipments on rental basis at the rate decided by the Registrar General, High Court of M.P., Jabalpur, which shall be final and binding, and the cost thereof shall be adjusted against the Security Deposit/Bank Guarantee.
- (c) Warranty period begins from the date of satisfactory installation and commissioning at location certified by Officers of MPSJA.
- (d) If the Gym or Fitness Equipments is down beyond 48 hours, penalty at the rate of Rs. 500/- (Rupees Five hundred only) per day per fault will be charged.
- (e) Supplier shall visit each site at least once in every six months to carryout preventive maintenance and fine-tune of the Equipments besides regular service calls during the warranty period.

- (f) On completion of the Warranty period, the unconditional Bank Guarantee without any interest accrued shall be released after satisfying that proper free warranty support has been provided during warranty period of three year for all the items. If considered necessary, suitable amount of penalty shall be recovered from the vendor out of their due payments or from their Security Deposit or by raising claims, while releasing the Security Deposit.
- 11. Security Deposit (SD): SD will be <u>10%</u> of purchase order value, the security deposit can be in the form of unconditional Bank Guarantee of nationalized bank/scheduled bank for a period of 36 months.
- 12. The Registrar General, High Court of M.P., Jabalpur reserve the Right to accept or reject any offers without assigning any reason thereof and to amend the terms and conditions before award of the contract.
- 13. The supplier has to provide training on operation of Gym and Fitness Equipments to the officials of MPSJA. In addition to above, vendor would also provide onsite training to end-user at the time of installation of equipment.
- 14. Any disputes arising out of this tender will be under the Jurisdiction of Court of Jabalpur only.

15 RIGHTS OF THE REGISTRAR GENERAL, HIGH COURT OF M.P., JABALPUR:

- 15.1 The Registrar General, High Court of M.P. reserves the right to accept or reject any or all the tenders in part or full, without assigning any reason whatsoever.
- 15.2 The Registrar General, High Court of M.P. is not bound to accept the lowest tender.
- 15.3 The Registrar General, High Court of M.P. reserves the right, to award the work to one or more bidders.

- 15.4 The Registrar General, High Court of M.P. reserves the right to terminate the contract at any time by giving an intimation in writing without assigning any reason.
- 15.5 In case of violation of terms and conditions of the contract or unsatisfactory supply of material, the Registrar General, High Court of M.P. reserves the right to terminate the contract by giving intimation to the supplier/contractor and forfeit the security deposit. In this case the firm will be blacklisted.
- 15.6 Bidder must acknowledge that he has understood all the terms and conditions mentioned in the Tender document and sign on each page of Tender document in acknowledgement of this.
- 15.7 The Registrar General, High Court of Madhya Pradesh, Jabalpur reserves the right to vary, amend or alter any terms and conditions of the tender document at the time of execution of the Contract.

16 LIQUIDATED DAMAGES (LD):-

If the Successful Tenderer fails to deliver Gym and Fitness Equipments or to perform the services within the time period(s) as mentioned in tender document. The Registrar General, High Court of Madhya Pradesh shall without prejudice to its other remedies under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the 1% of the contract price for every week (seven days) or part thereof of delay, up to maximum deduction of 10% of the contract price. Once the maximum is reached, the Registrar General, High Court of Madhya Pradesh may consider termination of the contract.

17 **ARBITRATION:**-

In the event of any dispute or difference arising out or touching upon any of the terms and conditions of this contract and / or in relation to the implementation or interpretation hereof, the same shall be resolved initially by mutual discussion and conciliation but in the event of failure thereof, the same shall be referred to the sole arbitrator appointed by Hon'ble the Chief Justice, High Court of M.P. The arbitration shall be in Jabalpur and the Arbitrator shall give his award in accordance with "The Arbitration and Conciliation Act, 1996". The decision of the arbitrator shall be final and binding upon the parties.

Signature of the Bidder (With office seal and full address)	REGISTRAR GENERAL HIGH COURT OF M.P.,
Name:	
Capacity in which signed:	
Date:	

FORM: - 1

BIDDER DETAILS

S.No.	Description	Indicate also page number where attached
1.	Name, address & telephone number of the agency/firm	
2.	Name, designation, address & telephone number of authorized person	
3.	Please specify as to whether Tenderer is sole Proprietor/Partnership Firm/Private or Limited Company.	
4.	Name, address & telephone number of Directors/Partners, Fax No., e-mail address.	
5.	Copy of PAN Card, VAT registration and Copy of previous 3 Financial Year's Income Tax Return.	
6.	Valid ISO 9001 Certificate of the products(Please attach copy)	
7.	Service Tax Registration No. (Please attach copy) and copy of latest Service Tax return	
8.	Experience Certificates / details of 3 years in supplying the Gym Equipments to the office of Central Government/State Government/Public Sector Undertakings/Autonomous Bodies/Organizations.	
9.	Details of Bid Security/Earnest Money Deposit (Rs. 1,00,000): a) Amount: b) Demand Draft. c) Date of issue: d) Name of issuing Bank:	
10	Tender fees of Rs. 5,000/-	

BID FORM (1 sheet)

Tender No. : Date :

To,

The Registrar General High Court of M.P., Jabalpur (M.P.)

Respected Sir,

- 1. Having examined the conditions of the contract and specifications in the tender document and annexure, the receipt of which is hereby duly acknowledged, we, undersigned, offer to Supply of Gym and Fitness Equipments for the sum shown in the schedule of prices attached herewith and made part of this Bid.
- 2. We undertake, if our Bid is accepted, to complete delivery of all the items specified in the contract within the delivery schedule specified in the tender.
- 3. If our Bid is accepted, we will obtain the unconditional performance guarantees of a Nationalized/Scheduled Bank for a sum 10% of the purchase / contract value.
- 4. We agree to abide by this Bid for a period of 150 days from the date fixed for Bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- 5. Until a formal Purchase Order of Contract is prepared and a contract is executed accordingly, this Bid together with your written acceptance thereof in your notification of award shall constitute a contract binding on us, subject to terms and conditions mentioned in the tender document.
- 6. Bid submitted by us is properly sealed and prepared so as to prevent any subsequent alteration and replacement.
- 7. We understand that you are not bound to accept the lowest or any bid, you may receive and you may reject

any bid without assigning reason therefore and you may vary, amend or alter any terms and conditions of the Tender Document at the time of execution of the Contract.

Dated this	day of 2016
Name and Cinnetons	
Name and Signature	
In the capacity of	
Duly authorised to sign for and on behalf of	the bid
Witness	
Address	Signatura

<u>CERTIFICATES</u>

WE CERTIFY THAT:

- 1. We will not <u>LEAK / DISCLOSE</u> any information of High Court of Madhya Pradesh to any other institutions/organizations, bodies and also in the market on the rates less than the prices quoted by us to the High Court.
- 2. The rate of <u>TAXES / DUTIES</u> mentioned in the tender is in accordance with the provisions of the rules in all respects and the same is payable to the Authorities.
- 3. The Gym Equipments offered shall be of the best quality strictly in accordance with the specifications and particulars as detailed in the tender.
- **4.** The information furnished by us in the tender are true and correct to the best of our knowledge and belief.
- **5.** We have read and understood the rules, regulations, terms and conditions of tender and agree to abide by them.

Authorized Signatory

(Seal of the Company)

Technical Bid "Annexure -A"

Gym and Fitness Equipments should be quoted with:

- (i) Three -years on spot comprehensive Warranty with technical support.
- (ii) All the necessary and required cables and accessories.

FINANCIAL / TECHNICAL CHART

S. NO.	PRODUCTS	SPECIFICATION	NAME OF COMPANY	TECHNICAL COMPLIED YES/NO
1	New	FULLY LOADED COMMERCIAL TREADMILL Continuous 4 HP AC MOTOR MAX USER WEIGHT 200 KGS, BELT SIZE 24"x 24"x62" SPEED 10-22 KMPH LCD SCREEN With 15" LED TV Built in 4 User & 12 Programe with Body Fat Inliser OR EQUIVALENT		
2	NO EXTERNAL POWER REQUIRED TOUR OF THE POWER REQUIRED TOUR OF THE POWER REGULATION OF THE POWER REGISTRATION OF THE POWER	COMMERCIAL ELLIPTICAL WORKING SIZE 2083x690x1980 mm MAX. USER WEIGHT 160 KGS QUICK START PROGRAM NTN Bearings 20 Levels Of Intensity OR EQUIVALENT		
3		COMMERCIAL RECUMBENT WORKING SIZE 1640x750x1240 mm MAX. USER WEIGHT 160 KGS QUICK START PROGRAM 20 LEVEL OF INTENSITY 350W RESISTANCE BRAKE POWER OR EQUIVALENT		

	NO EXTERNAL POWER REQUIRED	COMMERCIAL	
	SELF GENERATING ELECTRONICS	UPRIGHT	
		WORKING SIZE	
		1350x750x1480 mm	
		MAX. USER WEIGHT	
		160 KGS	
4500		6 Preset Programs 2	
4		Custom	
		Programs Quick Start Pro.	
		4 PC Crank With	
		Sealed	
		SKF Bearings 20 Levels	
		Of OD	
		Intensity OR EQUIVALENT	
		EGOTVICETO	
		COMMERCIAL	
	2/1	RACING GROUP	
		INDOOR	
		Working Size	
		1143x533x1245 mm	
		Max. User Weight	
311		150 KGS	
600	-31	One LCD Computer	
5		With	
	100	Function Of Scan	
		CNC Flywheel 30	
		KGS 450 mm	
		(Dia) Emergency v-	
		Break With	
		Tension Controller	
		Dual Function Pedal	
		OR EQUIVALENT	
F1 - 10		ROWER	
		Assembly	
	10.10 30	2050x510x640 mm	
		Max. User Weight	
		135 KGS	
		135 KGS FLY WHEEL 200 mm	
-		135 KGS FLY WHEEL 200 mm Heavy Gauge 16	
6 -		135 KGS FLY WHEEL 200 mm	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro.	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr.	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT	
6 -		135 KGS FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER	
6 -		Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96	
-		Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96 ctns	
6 - - - - - - 7		TLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96 ctns 14 kneading massage	
-		FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96 ctns 14 kneading massage Balls	
-		FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96 ctns 14 kneading massage Balls Calf with Air Bag	
-		FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96 ctns 14 kneading massage Balls Calf with Air Bag massage	
-		FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96 ctns 14 kneading massage Balls Calf with Air Bag massage Music Function LCD	
-		FLY WHEEL 200 mm Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr. Built in Heart rate Receiver OR EQUIVALENT MICROCOMPUTER MULTIFUNCTIONL MASSAGE 40" HQ Capacity 96 ctns 14 kneading massage Balls Calf with Air Bag massage	

Í		l lar	I I
		W	
		voltage-AC 100-240 V50/60 HZ	
		Waist and Food	
		Heating	
		Function Of Scan OR EQUIVALENT	
	(A)715		
		Fully COMMERCIAL	
		CHEST PRESS	
		LxWxH 91x126x140 cms	
		Weight Stack -200	
		lbs. OR	
8		EQUIVALENT	
	_		
		Fully COMMERCIAL	
		SHOULDER PRESS	
		LxWxh 139x119x140	
9		cms Weight Stack -200 lbs	
		OR EQUIVALENT	
	not a		
	- AA W	Fully COMMERCIAL	
		LAT/LOW ROW	
		COMBO	
	7	LxWxh 197x91x217	
10		CMS	
.	- College	Weight Stack -200 lbs OR EQUIVALENT	
		OIX EQUIVINEINI	
	(ev-=	Fully COMMERCIAL	
		LEG PRESS /CALF PRESS COMBO	
		LxWxH 154x122x170	
11		cms	
11		Weight Stack -200 lbs	
	4	OR EQUIVALENT	
	l l	<u> </u>	1

ĺ	1	 	I I
12		Fully COMMERCIAL BICEP CURL LxWxH 111x89x140 cms Weight Stack -170 lbs OR EQUIVALENT	
13		FULLY COMMERCIAL HYPER Ext. LxWxH 121x74x77 cms OR EQUIVALENT	
14		FULLY COMMERCIAL FLAT BENCH LxWxH 1657x1658x1375 mm OR EQUIVALENT	
15		FULL COMMERCIAL INCLINE Bench Press LxWxH 1632x1658x1373 mm OR EQUIVALENT	
16		DECLINE BENCH LxWxH 190x131x115 cms OR EQUIVALENT	

17		FLAT BENCH LxWxH 1200x780x1515 mm OR EQUIVALENT	
18		Weight Training Barbal OR EQUIVALENT 3 Feet 4 Feet 5 Feet 6 Feet 7 Feet	
19		STAIRING RUBBERIZED PLATE OR EQUIVALENT Weight- 100 Kgs	
20		RUBBERIZED HAX DUMMBULS OR EQUIVALENT Weight- 363 Kgs	
21	The first fi	SWISS GYM BALL FOR Multi Exercise & Flexibility OR EQUIVALENT	

22	E-z Curl Bar For Triceps & Biceps OR EQUIVALENT	
23	FULL COMMERCIAL FUNCTIONAL TRAINER OR EQUIVALENT LxWxH 90x180x213 cms Weight Stack-2x91 KGS/200 lbs	
24	FULL COMMERCIAL OR EQUIVALENT PEC DEC /REAR DELT LxWxH 131x145x181 cms 19+1cs/170 lbs	
25	WT. ASST. CHIN/DIP COMBO OR EQUIVALENT LxWxH 146x122x213 cms Weight Stack 200 lbs	
26	FULLY COMMERCIAL BARBALL RACK STAND HEAVY DEUTY OR EQUIVALENT	

I	I	ı	1	I	I	1
27	1	•	•	FULLY COMMERCIAL BARBALL Plate STAND OR EQUIVALENT		
28				FULLY COMMERCIAL Dummbles RACK STAND OR EQUIVALENT		
	STEAM UNIT (Size					
29	:8'x8'x7'=448cbf) (a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safty valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation. Electrical panel having siemens contactor main switch/ MCB,all related fittings with proper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4"					
	(c) Light: 24 Volt lighting arrangement with step down Note-All civil work shall be carried out by good self electrical and water connection would					
	be provide by you steam/ drain line or any					

	other plumbing/electrical			
	connection will			
	be done by your good self under our			
	supervision			
	SAUNA BATH			
	SAUNA UNIT (8'x8'x7'=448			
	Cubic Ft.)			
	15 KW: Special design sauna			
	heating system with Double layer			
	concealed			
	body with energy saver heating			
	element			
	Double control thermostat with timer			
	device to control temperature			
	and			
	timing as per the user choice			
	digital outer control			
	PANELING AND FLOORING:			
	Panelling and flooring shall			
	have the 50 x			
	40 mm Wooden frame work at			
	maximum 450 mm center in both direction			
	is fitted			
	with 50 mm thick crown 150			
	resin bonded			
	wool and 6 mm thick			
30	commercial plywood and covered with 12.5			
	mm thick			
	seasoned pine wood imported			
	plank tongue & groove with counter			
	sunk			
	screws/nails			
	CEILING: Ceiling with			
	specification as			
	above with 50 x 50 mm runner at maximum			
	600 mm centers			
	BENCH:450 mm vide as per			
	space available.			
	DOOR:50 mm thick insulated door both side			
	planks of 12 mm thick tongue&			
	groove with			
	fresh air provision and a glass			
	of 12" x24" at eye level for checking	-		
	purpose.			
	LIGHT: Wooden Light	1		
	OPTIONAL ACCESSORIES: Sand			
	Timer			
	Thermometer/Hygometer.Lawa/ Stone/Head Rest	-		
	Otolio/Hoad Nest			
	1. INTIRIOR			
	ACCESSORIES (a)			
31	MIRRORS 2. (b) POSTER			
	3. (c) LOCKERS			
L	J. (0) LOUILING	 1		

4. (d) Rubberised floor MATS			
5. (e) Reception Table & Chair			
(f) TURKISH TOWEL			

Financial Bid (Price Schedule)

Prices should be quoted in Indian Rupees inclusive of all taxes, installation charges, freight, etc.

Price should be quoted with three years onsite comprehensive warranty and support and should be on-site at State Judicial Academy., Jabalpur.

Name of the Bidder:

Specify Make: Model:

FINANCIAL / TECHNICAL CHART

S. N O.	PRODUCTS	SPECIFICATION	UNIT PRICE	TAX	TOTAL AMOUN T
1	New	FULLY LOADED COMMERCIAL TREADMILL Continuous 4 HP AC MOTOR MAX USER WEIGHT 200 KGS, BELT SIZE 24"x 24"x62" SPEED 10-22 KMPH LCD SCREEN With 15" LED TV Built in 4 User & 12 Programe with Body Fait Inliser OR EQUIVALENT			
2	NO EXTERNAL POWER REQUIRED STATEMENT OF STAT	COMMERCIAL ELLIPTICAL WORKING SIZE 2083x690x1980 mm MAX. USER WEIGHT 160 KGS QUICK START PROGRAM NTN Bearings 20 Levels Of Intensity OR EQUIVALENT			
3		COMMERCIAL RECUMBENT WORKING SIZE 1640x750x1240 mm MAX. USER WEIGHT 160 KGS QUICK START PROGRAM 20 LEVEL OF INTENSITY 350W RESISTANCE BRAKE POWER OR EQUIVALENT			

ı		1	Ī		
		COMMERCIAL UPRIGHT			
		WORKING SIZE			
	NO EXTERNAL	1350x750x1480 mm			
	SELF GENERATING ELECTRONICS	MAX. USER WEIGHT 160 KGS			
		6 Preset Programs 2 Custom			
4		Programs Quick Start Pro.			
		4 PC Crank With Sealed			
		SKF Bearings 20 Levels Of			
	#500	Intensity OR EQUIVALENT			
		Intensity ON EQUIVALENT			
		COMMERCIAL RACING GROUP			
	41	INDOOR			
		Working Size			
		1143x533x1245 mm			
		Max. User Weight 150 KGS			
	, and				
5		One LCD Computer With Function Of Scan			
		CNC Flywheel 30 KGS 450 mm			
	40	(Dia) Emergency v-Break With Tension Controller			
		Dual Function Pedal OR EQUIVALENT			
		ROWER			
		Assembly 2050x510x640 mm			
		Max. User Weight 135 KGS FLY WHEEL 200 mm			
6		Heavy Gauge 16 Ranges Motor Tension 62x94 mm Back Lit LCD			
		Computer Displays 12 Pro. 1 Manual 6 Preset 1 Hrc 4 Usr.			
	•				
		Built in Heart rate Receiver OR EQUIVALENT			
		MICROCOMPUTER			
		MULTIFUNCTIONL MASSAGE			
		40" HQ Capacity 96 ctns			
		14 kneading massage Balls			
		Calf with Air Bag massage			
7		Music Function LCD hand			
'		Controller Power -150 W			
		voltage-AC 100-240 V50/60 HZ			
		Waist and Food Heating			
	(SEAMER)	Function Of Scan OR			
		EQUIVALENT			
	.vv=	Fully COMMERCIAL CHEST			
		PRESS			
		LxWxH 91x126x140 cms			
	-0-	Weight Stack -200 lbs. OR EQUIVALENT			
8					

9	Fully COMMERCIAL SHOULDER PRESS LxWxh 139x119x140 cms Weight Stack -200 lbs OR EQUIVALENT		
1 0	Fully COMMERCIAL LAT/LOW ROW COMBO LxWxh 197x91x217 cms Weight Stack -200 lbs OR EQUIVALENT		
1 1	Fully COMMERCIAL LEG PRESS /CALF PRESS COMBO LxWxH 154x122x170 cms Weight Stack -200 lbs OR EQUIVALENT		
1 2	Fully COMMERCIAL BICEP CURL LxWxH 111x89x140 cms Weight Stack -170 lbs OR EQUIVALENT		
1 3	FULLY COMMERCIAL HYPER Ext. LxWxH 121x74x77 cms OR EQUIVALENT		

1 4	FULLY COMMERCIAL FLAT BENCH LxWxH 1657x1658x1375 mm OR EQUIVALENT		
1 5	FULL COMMERCIAL INCLINE Bench Press LxWxH 1632x1658x1373 mm OR EQUIVALENT		
1 6	DECLINE BENCH LxWxH 190x131x115 cms OR EQUIVALENT		
1 7	FLAT BENCH LxWxH 1200x780x1515 mm OR EQUIVALENT		
1 8	Weight Training Barbal OR EQUIVALENT 3 Feet 4 Feet 5 Feet 6 Feet 7 Feet		
1 9	STAIRING RUBBERIZED PLATE OR EQUIVALENT Weight- 100 Kgs		

2 0		RUBBERIZED HAX DUMMBULS OR EQUIVALENT Weight- 363 Kgs		
2 1	The jobs	SWISS GYM BALL FOR Multi Exercise & Flexibility OR EQUIVALENT		
2 2	→	E-z Curl Bar For Triceps & Biceps OR EQUIVALENT		
2 3		FULL COMMERCIAL FUNCTIONAL TRAINER OR EQUIVALENT LxWxH 90x180x213 cms Weight Stack-2x91 KGS/200 lbs		
2 4		FULL COMMERCIAL OR EQUIVALENT PEC DEC /REAR DELT LxWxH 131x145x181 cms 19+1cs/170 lbs		
2 5		WT. ASST. CHIN/DIP COMBO OR EQUIVALENT LxWxH 146x122x213 cms Weight Stack 200 lbs		

FULLY COMMERCIAL BARBALL RACK STAND HEAVY DEUTY OR EQUIVALENT	
RACK STAND HEAVY DEUTY OR	
RACK STAND HEAVY DEUTY OR	
2 HEAVY DEUTY OR	
6 HEAVY DEUTY OR	ļ
EQUIVALENT	
FULLY COMMERCIAL BARBALL	
Plate STAND OR EQUIVALENT	ļ
2 7	ļ
	ļ
	ļ
FILLY COMMEDIAL	
FULLY COMMERCIAL Dummbles	ļ
RACK STAND OR FOUIVALENT	ļ
8	
	ļ
STEAM UNIT (Size :8'x8'x7'=448cbf)	
(a)18 KW STEAM UNIT	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape &	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens)	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4"	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4"	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with	
(a) 18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel). Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation. Electrical panel having siemens contactor main switch/ MCB, all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with step down Note-All civil work shall be carried our by good self electrical and water connection would be provide by you steam/ drain line or any	
(a) 18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel). Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation. Electrical panel having siemens contactor main switch/ MCB, all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with step down Note-All civil work shall be carried our by good self electrical and water connection would be provide by you steam/ drain line or any other plumbing/electrical connection will	
(a) 18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with step down Note-All civil work shall be carried our by good self electrical and water connection would be provide by you steam/ drain line or any other plumbing/electrical connection will be done by your good self under our	
(a) 18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel). Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation. Electrical panel having siemens contactor main switch/ MCB, all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with step down Note-All civil work shall be carried our by good self electrical and water connection would be provide by you steam/ drain line or any other plumbing/electrical connection will	
(a)18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with step down Note-All civil work shall be carried our by good self electrical and water connection would be provide by you steam/ drain line or any other plumbing/electrical connection will be done by your good self under our supervision	
(a) 18 KW STEAM UNIT The fully automatic steam unit shall preferably be rectangular in shape & insulate with fiberglass open all the sides and housed in MS fabricated box (Electric/Electronic control panel).Heater socket shall be stainless steel and pressure tested. All safety valves pressure control switch Danfoss/Indfoss, Electronic control to be fully automatic with switch timer device operation.Electrical panel having siemens contactor main switch/ MCB,all related fittings withproper electrical wiring (Make Siemens) (b) Toughened Glass Door of Size 2.5' x 6 3/4" (c) Light: 24 Volt lighting arrangement with step down Note-All civil work shall be carried our by good self electrical and water connection would be provide by you steam/ drain line or any other plumbing/electrical connection will be done by your good self under our	

system with.Double layer concealed		
body with energy saver heating element		
Double control thermostat with timer		
device to control temperature and		
timing as per the user choice digital		
outer control		
PANELING AND FLOORING:		
Paneling and flooring shall have the 50 x]	
40 mm Wooden frame work at maximum]	
450 mm center in both direction is fitted		
with 50 mm thick crown 150 resin bonded		
wool and 6 mm thick commercial		
plywood and covered with 12.5 mm thick]	
seasoned pine wood imported plank]	
tongue & groove with counter sunk		
screws/nails		
CEILING: Ceiling with specification as		
above with 50 x 50 mm runner at maximum		
600 mm centers		
BENCH:450 mm vide as per space available.		
DOOR:50 mm thick insulated door both side		
planks of 12 mm thick tongue& groove with]	
fresh air provision and a glass of 12" x24"		
at eye level for checking purpose.]	
LIGHT: Wooden Light		
OPTIONAL ACCESSORIES:Sand		
Timer Thermometer/Hygometer.Lawa/]	
Stone/Head Rest		
INTIRIOR ACCESSORIES (a) MIRRORS		
(b) POSTER		
(c) LOCKERS]	
(d) RUBBERISED MATS]	
(e) Reseption Table &]	
Chair		
(f) TARKISH TOWEL		

Total Bid Price in Rs
In words
Signature of Bidder with seal
Name
Business address
Tel. No. & Mobile No Email:
Place:
Date: